

PRODUCT SPECIFICATIONS

RE912 RIGGER BOOT Water and heat resistant non-metallic rigger boot





PRODUCT CODE: RE912

PRODUCT NAME: RIGGER BOOT

PRODUCT DESCRIPTION: Water and heat resistant non-metallic rigger boot

| INFORMATION | |
|--|--|
| COLOUR | Dark brown |
| SIZE RANGE | 4 – 13 (unisex, starts from a size 4) |
| ISO 20345 CLASSIFICATION | S3 – anti-static, energy absorption of seat region, anti-penetration and water resistant |
| SLIP RESISTANCE CLASSIFICATION SRA / SRB / SRC | SRA – tested for slip resistance in environments of ceramic surfaces with soapy solution |
| CONSTRUCTION | Injection moulded construction process |
| NRCS APPROVAL NO | NRCS/9002/262020/0232 |

| MATERIALS | |
|------------------|---|
| UPPER | High quality full grain leather with thermoplastic polyurethane (TPU) toe bumper for added scuff protection |
| SOLE | Polyurethane (PU) with Kevlar anti-penetration midsole, rubber outsole |
| EYELETS | N/A – pull up side loops |
| LINING | Black taibrelle mesh |
| TOE CAP | 200J composite non-metallic toe cap |
| FOOTBED (INSOLE) | Moulded polyurethane (PU); taibrelle mesh upper with contoured heel and arch |
| INSOLE BOARD | 3MR Ibitech non-woven insole board |

UPPER Water resistant upper SOLE Outsole is heat resistant up to 300°C OTHER Non-metallic high density mesh for anti-penetration protection KEY FEATURES KEY FEATURES

SUGGESTED ENVIRONMENTS

Fishing and allied industries, mining, chemical and petrochemical, refineries, welders/foundries and smelters.

