



Brady Safety Solutions for the **Mining Industry**

Creating the Right Conditions at Your Mining Site



Safety is the top priority in mining today. Whether above ground or below, accurate identification helps keep employees out of harms way. It also keeps costly DMR violation fines at bay and your operation running smoothly.

Combined with an aging workforce and the resulting knowledge loss, it's more important than ever to implement solutions around your mining site that increase productivity and efficiency – and ultimately profitability.

Brady's complete solutions include visual information products like: signs and labels, safety devices for lockout/tagout programs, and smart technology like printers and software that help you bridge the experience gap left by a retiring workforce.

Coupling our innovative products and professional workshops and services, you'll be able to create the perfect conditions at your unique mining site.





Lockout/Tagout

Keep your most valuable resource safe from hazardous energy at your mining site by implementing a lockout/tagout program for your employees. With both fatal and non-fatal electrical accidents being reported as a main DMR violation, it's important to make sure circuits are locked, grounded, and tagged prior to any maintenance work being performed.

STANDARD SAFETY PADLOCKS

With a variety of different shackle sizes, materials and colours!

- Comes standard with hardened steel shackle for enhanced security or with nylon shackle to cut off the electrical current from the shackle to the key
- Key retaining system (Key won't release until padlock shackle is correctly closed)
- Padlocks are supplied keyed different. 1 key supplied with each lock.



Standard safety padlocks with hardened steel shackle

Order Reference	Colour	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
051353	● Black	38.00	6.50	20.00	33.00	19.50	86.50	38.50	6
051344	● Blue	38.00	6.50	20.00	33.00	19.50	86.50	38.50	6
813636	● Brown	38.00	6.50	20.00	33.00	19.50	86.50	38.50	6
051345	● Green	38.00	6.50	20.00	33.00	19.50	86.50	38.50	6
814113	● Grey	38.00	6.50	20.00	33.00	19.50	86.50	38.50	6
051347	● Orange	38.00	6.50	20.00	33.00	19.50	86.50	38.50	6
813637	● Purple	38.00	6.50	20.00	33.00	19.50	86.50	38.50	6
051339	● Red	38.00	6.50	20.00	33.00	19.50	86.50	38.50	6
813638	○ White	38.00	6.50	20.00	33.00	19.50	86.50	38.50	6
051346	● Yellow	38.00	6.50	20.00	33.00	19.50	86.50	38.50	6

*Optional Engraving on Front & Back

LONG BODY SAFETY PADLOCKS

Order Reference	Colour	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
834463	● Black	38.00	6.50	20.00	33.00	19.50	122.00	38.00	6
834462	● Blue	38.00	6.50	20.00	33.00	19.50	122.00	38.00	6
834466	● Green	38.00	6.50	20.00	33.00	19.50	122.00	38.00	6
834467	● Orange	38.00	6.50	20.00	33.00	19.50	122.00	38.00	6
834464	● Red	38.00	6.50	20.00	33.00	19.50	122.00	38.00	6
834465	● Yellow	38.00	6.50	20.00	33.00	19.50	122.00	38.00	6

Long Body version: Purple, Brown, Grey and White colours available upon request for large volumes.

*Optional Engraving on Front, Back & Sides

GROUP LOCK BOX

For group lockout situations involving a large number of workers and equipment.

- After machine or process is locked out, the key or keys of the machine are placed in a lock box.
- Each authorised work team member places a personal lock or tagout device in the group lock box.
- Ensures that no single employee has access to the box unless ALL employees have removed their locks or tags

Order Reference	Description	Colour	Height (mm)	Width (mm)	Depth (mm)	Max number of padlocks applied	Max. Number of Padlocks Stored	Quantity
830929	Extra Large Metal Lockbox	Red	152.40	187.32	235.00	13	75	1
045190	Portable Metal Group Lock Box	Blue	152.00	227.00	88.90	13	40	1
065672	Portable Metal Group Lock Box	Yellow	152.00	227.00	88.90	1	40	1
065699	Portable Metal Group Lock Box	Red	152.00	227.00	88.90	13	40	1






SAFETY SECURITY PADLOCKS

Nylon encased aluminium body with nylon encased steel shackle

- Solid aluminium core with steel shackle for best physical strength
- Long Body version available on request (bilingual labelling)
- Key retaining system (Key won't release until padlock shackle is correctly closed, non-key retaining available upon request)
- Padlocks are supplied keyed different. 1 key supplied with each lock.



Order Reference	Colour	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Height 38 mm									
834469	● Black	38.00	6.50	20.00	33.00	20.00	90.00	40.00	6
834468	● Blue	38.00	6.50	20.00	33.00	20.00	90.00	40.00	6
834472	● Green	38.00	6.50	20.00	33.00	20.00	90.00	40.00	6
834473	● Orange	38.00	6.50	20.00	33.00	20.00	90.00	40.00	6
834470	● Red	38.00	6.50	20.00	33.00	20.00	90.00	40.00	6
834471	● Yellow	38.00	6.50	20.00	33.00	20.00	90.00	40.00	6
Shackle Height 75 mm									
834475	● Black	75.00	6.50	20.00	33.00	20.00	127.00	40.00	6
834474	● Blue	75.00	6.50	20.00	33.00	20.00	127.00	40.00	6
834478	● Green	75.00	6.50	20.00	33.00	20.00	127.00	40.00	6
834479	● Orange	75.00	6.50	20.00	33.00	20.00	127.00	40.00	6
834476	● Red	75.00	6.50	20.00	33.00	20.00	127.00	40.00	6
834477	● Yellow	75.00	6.50	20.00	33.00	20.00	127.00	40.00	6

Purple, Brown, Grey and White colours available upon request for large volumes.

FULL ALUMINIUM PADLOCKS

Manufactured with solid aluminum body and shackle, our padlocks are amazingly lightweight and easy to use

- Corrosion resistance
- Non-key retaining, key retaining upon request
(Key won't release until padlock shackle is correctly closed)
- Padlocks are supplied keyed different. 1 key supplied with each lock.



Order Reference	Colour	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Height 40 mm									
814074	● Black	40.00	6.50	20.00	31.50	19.00	89.00	40.00	6
814072	● Blue	40.00	6.50	20.00	31.50	19.00	89.00	40.00	6
830940	● Brown	40.00	6.50	20.00	31.50	19.00	89.00	40.00	6
814076	● Green	40.00	6.50	20.00	31.50	19.00	89.00	40.00	6
830937	● Grey	40.00	6.50	20.00	31.50	19.00	89.00	40.00	6
814077	● Orange	40.00	6.50	20.00	31.50	19.00	89.00	40.00	6
814078	● Purple	40.00	6.50	20.00	31.50	19.00	89.00	40.00	6
814073	● Red	40.00	6.50	20.00	31.50	19.00	89.00	40.00	6
814075	● Yellow	40.00	6.50	20.00	31.50	19.00	89.00	40.00	6

LAMINATED STEEL PADLOCKS

Reinforced laminated steel withstands severe physical abuse and hardened steel shackle is difficult to cut.

- Key retaining system (Key won't release until padlock shackle is closed)
- Padlocks are supplied keyed different. 1 key supplied with each lock.



Order Reference	Colour	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Height 38 mm									
814096	● Black	38.00	7.00	18.50	32.50	23.00	77.00	44.00	6
814095	● Blue	38.00	7.00	18.50	32.50	23.00	77.00	44.00	6
814101	● Brown	38.00	7.00	18.50	32.00	23.00	77.00	44.00	6
814099	● Green	38.00	7.00	18.50	32.00	23.00	77.00	44.00	6
814100	● Orange	38.00	7.00	18.50	32.00	23.00	77.00	44.00	6
814102	● Purple	38.00	7.00	18.50	32.00	23.00	77.00	44.00	6
814097	● Red	38.00	7.00	18.50	32.50	23.00	77.00	44.00	6
814103	○ White	38.00	7.00	18.50	32.00	23.00	77.00	44.00	6
814098	● Yellow	38.00	7.00	18.50	32.50	23.00	77.00	44.00	6



ALL PURPOSE CABLE LOCKOUT

The ergonomic, hand-fitted body makes it easy to tighten the cable. Can be used to lock out valves, disconnect switches, circuit breakers and more.

- Locks out multiple control points with a single device = reduced equipment costs
- Interchangeable cables, select the best type suited for the job
- High portability, a built-in eyelet helps keep the cable neatly coiled, prevents loose ends from dangling and causing a hazard when in use
- Body withstands chemicals and corrosion
- 4 Padlocks can be applied



Order Reference	Description	Material	Cable Length (m)	Cable Diameter (mm)	Colour	Max. Shackle Diameter (mm)	Min. Shackle Clearance (mm)	Quantity
050941*	All Purpose Cable Lockout with Non-Conductive Nylon Cable	Glass-filled Polyurethane Polymer & Glass-filled Nylon & Non-Conductive Nylon	2.44	4.33	Red	7.00	20.00	1
050943	All Purpose Cable Lockout with Vinyl Coated Metal Cable	Glass-filled Polyurethane Polymer & Glass-filled Nylon & Vinyl Coated Metal	2.44	4.76	Red	7.00	20.00	1
050944	All Purpose Cable Lockout without cable	Glass-filled Polyurethane Polymer & Glass-filled Nylon	-	-	Red	7.00	20.00	1



*This product meets the ATEX Equipment Directive.




BRADY BALL VALVE LOCKOUT

Brady ball valve lockouts are the ideal tool for securing your quarter-turn angled ball valves in the OFF position.

- Fits virtually any valve lever up to 76 mm
- Available in 2 sizes
- Service Temperature from -30 °C to 120 °C

Order Reference	Description	Material	Max. Handle Thickness (mm)	Max. Valve Handle Width (mm)	Size valve lever (mm)	Max. Shackle Diameter (mm)	Min. Shackle Clearance (mm)	# of Holes	Quantity
065666*	Small Brady Ball Valve Lockout	Nylon	7.62	30.48	6 - 25	7.00	25.00	8	1
065692	Small Brady Ball Valve Lockout	Steel	6.92	30.48	6 - 25	9.53	19.00	6	1
065669	Large Brady Ball Valve Lockout	Steel	12.70	53.34	32 - 76	7.00	19.00	15	1
065693	Large Brady Ball Valve Lockout	Steel	12.70	48.26	32 - 76	9.53	19.00	7	1

*This product meets the ATEX Equipment Directive.



STANDARD GATE VALVE LOCKOUT

The easiest device that fits your gate valve.

- Locks out gate valves with different hand wheel diameters
- Made of durable polypropylene – superior impact & chemical resistance
- Withstands temperatures from -20 °C to 150 °C
- Available in several sizes and colours
- Colours allow a coding. Transparency allows instant visibility on the valve colour and status.
- Padlock can be applied

Comes with danger labels in English, Spanish and French

Order Reference	Hand Wheel Diameter (mm)	Height (mm)	Width (mm)	Depth (mm)	Max. Shackle Diameter (mm)	Min. Shackle Clearance (mm)	Quantity
Blue							
065585	25 - 64	80.00	120.10	35.90	9.53	19.00	1
065586	64 - 127	141.70	184.80	50.60	9.53	19.00	1
065587	127 - 165	181.00	224.10	60.40	9.53	19.00	1
065588	165 - 254	276.20	318.30	76.20	9.53	19.00	1
065589	254 - 330	363.50	405.10	76.20	9.53	19.00	1
Green							
065595	25 - 64	80.00	120.10	35.90	9.53	19.00	1
065596	64 - 127	141.70	184.80	50.60	9.53	19.00	1
065597	127 - 165	181.00	224.10	60.40	9.53	19.00	1
065598	165 - 254	276.20	318.30	76.20	9.53	19.00	1
065599	254 - 330	363.50	405.10	76.20	9.53	19.00	1
Red							
065560*	25 - 64	80.00	120.10	35.90	9.53	19.00	1
065561*	64 - 127	141.70	184.80	50.60	9.53	19.00	1
065562*	127 - 165	181.00	224.10	60.40	9.53	19.00	1
065563*	165 - 254	276.20	318.30	76.20	9.53	19.00	1
065564*	254 - 330	363.50	405.10	76.20	9.53	19.00	1
Transparent							
145581	25 - 64	80.00	120.10	35.90	9.70	19.00	1
145582	64 - 127	141.70	184.80	50.60	9.70	19.00	1
145583	127 - 165	181.00	224.10	60.40	9.70	19.00	1
145584	165 - 254	276.20	318.30	76.20	9.70	19.00	1
145585	254 - 330	363.50	405.10	76.20	9.70	19.00	1
Yellow							
065590	25 - 64	80.00	120.10	35.90	9.53	19.00	1
065591	64 - 127	141.70	184.80	50.60	9.53	19.00	1
065592	127 - 165	181.00	224.10	60.40	9.53	19.00	1
065593	165 - 254	276.20	318.30	76.20	9.53	19.00	1
065594	254 - 330	363.50	405.10	76.20	9.53	19.00	1

*This product meets the ATEX Equipment Directive.



ADJUSTABLE GATE VALVE LOCKOUT

One device for most gate valves!

It replaces 3 conventional gate valve lockouts to reduce your costs.

- Adjusts to fit gate valves from 2.5 to 16.5 cm
- Durable polypropylene
- Resistant to extreme temperature changes from -20 °C to 80 °C
- 3 padlocks can be applied

Order Reference	Description	Height (mm)	Width (mm)	Max. Shackle Diameter (mm)	Min. Shackle Clearance (mm)	Quantity
064057	Adjustable Gate Valve Lockout	130.00	209.00	9.40	20.00	1



BRADY BUTTERFLY VALVE LOCKOUT

Ideal to lock a butterfly valve in the OFF position

- Can be used to lock a butterfly valve in the OFF position by clamping down on the handle so that it may not be engaged or moved
- Available in two sizes

Order Reference	Description	Specification	Colour	Quantity
121504	Butterfly Valve Lockout - Small	For valve handle thicknesses of 3.2 mm to 63.5 mm	Red	1
121505	Butterfly Valve Lockout - Large	For valve handle thicknesses of 50.8 mm to 102 mm	Red	1

MINIATURE CIRCUIT BREAKER LOCKOUT

A safe and effective method for locking out European Circuit Breakers as it fits most of their existing types.

- Miniature breaker lockout unique in its kind = requires NO TOOLS to install
- The lockout easily installs with the aid of a Push Button
- The tie-bar style lockout has a convenient thumb wheel for quick application
- Suitable for single, multi-pole and rotary breakers
- Made from glass-filled nylon
- Available in single or six pack
- 1 padlock can be applied

Recommended to use in combination with a padlock with a minimum shackle diameter of 6 mm for added safety.

Order Reference	Description	Max. Shackle Diameter (mm)	Quantity
1 Kit / Piece			
805853	Miniature Breaker Lockout Demo Kit*	7.00	1
1 Piece / Pack			
090847	Miniature Circuit Breaker Lockouts - Pin-In Standard	7.00	1
090844	Miniature Circuit Breaker Lockouts - Pin-Out Standard	7.00	1
090850	Miniature Circuit Breaker Lockouts - Pin-Out Wide	7.00	1
090853	Miniature Circuit Breaker Lockouts - Tie-Bar	7.00	1
149433	Miniature Circuit Breaker - Pin-out Wide (ABB-MS325)	8.13	1



Pin-Out Standard
Consult the technical datasheet LOTO1 on bradyeurope.com/tds



Pin-In Standard
Consult the technical datasheet LOTO25 on bradyeurope.com/tds




Pin-Out Wide
Consult the technical datasheet LOTO26 on bradyeurope.com/tds



Tie-Bar
Consult the technical datasheet LOTO27 on bradyeurope.com/tds



Pin-Out Wide (ABB-MS325)
Consult the technical datasheet LOTO95 on bradyeurope.com/tds



TWIST AND SECURE™ PUSH BUTTON & E-STOP COVERS

Made to temporarily prevent access to the on/off and emergency stop controls for production and facility utility operating equipment.

- Fast and convenient lockout at the point of need.
- One time installation of the low profile, unobtrusive lockout base.
- Provides an obvious, visual indication that the equipment control button is locked out, as well as a view through the translucent cover of the ON/OFF status of E-Stop buttons.
- Standardised bases allow authorised workers to apply a single provided cover to any of numerous equipment control buttons.



Total Package

Order Reference	Description	Height (mm)	Quantity
139793	Push Button Lockout Device (16 mm), Clear, with Standard Cover	50.00	1
139794	Push Button Lockout Device (16 mm), Clear, with Tall Cover	80.00	1
134018	Push Button Lockout Device (16 mm), Red, with Standard Cover	50.00	1
130819	Push Button Lockout Device (16 mm), Red, with Tall Cover	80.00	1
139795	Push Button Lockout Device (22 mm), Clear, with Standard Cover	50.00	1
130820	Push Button Lockout Device (22 mm), Red, with Standard Cover	50.00	1
139796	Push Button Lockout Device (30 mm), Clear, with Standard Cover	55.00	1
130821	Push Button Lockout Device (30 mm), Red, with Standard Cover	55.00	1

Package without cover

Order Reference	Description	Quantity
130822	16 mm Push Button/E-Stop Lockout Bases, 5 Pk	5
130823	22 mm Push Button/E-Stop Lockout Bases 5 Pk	5
130824	30 mm Push Button/E-Stop Lockout Bases 5 Pk	5

Supplied with 5 clear labels, 5 red labels and 5 yellow labels



SAFETY LOCKOUT

Allow six workers to lock out a single energy source!

- Vinyl Coated High Tensile Steel
- 6 padlocks can be applied
- Padlock holes diameter: 11 mm
- Hook edge dimensions: 2 mm x 6 mm



Order Reference	Colour	Shackle Width (mm)	Max. Shackle Diameter (mm)	Min. Shackle Clearance (mm)	Additional Information	Quantity
805840	Red	25.00	9.50	20.00	-	12
805842	Yellow	25.00	9.50	20.00	-	12
805841	Red	38.00	9.50	20.00	-	12
805843	Yellow	38.00	9.50	20.00	-	12
105718	Red	25.00	9.50	20.00	Tamperproof interlocking tabs to prevent unauthorised opening.	1
105719	Red	38.00	9.50	20.00	Tamperproof interlocking tabs to prevent unauthorised opening.	1

HEAVY DUTY STEEL LOCKOUT

Tamper-proof design which prevents vandalism

- Solid U-shape steel bolt cannot be pried apart once locks are in place
- Holds up to 3 locks
- Inside diameter of U-shape bolt is 25.4 mm

Order Reference	Description	Max. Shackle Diameter (mm)	Min. Shackle Clearance (mm)	Quantity
230000	Heavy Duty Steel Hasp + 150 mm chain	9.00	20.00	1
236918	Heavy Duty Steel Hasp	9.00	20.00	1



LOCKOUT DUFFEL BAG

- Made of 600 denier polyester with a 95 cm removable shoulder strap and 8 inside pockets (supplied empty)

Order Reference	Description	Height (mm)	Width (mm)	Depth (mm)	Quantity
099162	Lockout Duffel Bag	215.00	420.00	125.00	1



LOCKOUT TOOL BOXES

- Made of rugged polypropylene with nickel-plated steel clasps (supplied empty)
- Supplied with removable tray and two handy storage pockets built into the lid

Order Reference	Description	Height (mm)	Width (mm)	Depth (mm)	Quantity
105906	Medium Lockout Toolbox	198.12	411.48	185.42	1
105905	Small Lockout Toolbox	180.34	355.60	139.70	1



LOCK BOARDS

Brady's high visibility lock boards make your locks, tags and lockouts easy to find and use. Built for the toughest conditions, these lock boards are made of durable plastic material.

The lock boards are available as boards only. No components are included.

Order Reference	Description	Material	Height (mm)	Width (mm)	Quantity
050989	5-Lock Board	Acrylic	292.00	393.00	1
050990	10-Lock Board	Acrylic	342.00	342.00	1
050991	20-Lock Board	Acrylic	597.00	292.00	1
050992	36-Lock Board	Acrylic	546.00	597.00	1



5-Lock Board



10-Lock Board



20-Lock Board




36-Lock Board



WARNING TAGS

Indicate who is responsible for placing a Lockout device and who is authorised to remove it or make changes to it.

- Flexible polyester, resistant to water, oil and extreme temperatures
- Matt surface, can be written on with a ball point or felt-tip pen
- Hole diameter 7 mm, allows for placement on a padlock shackle
- Packaging: 10 tags with 10 cable ties




Height (mm)	Width (mm)	Order Reference
110.00	50.00	225400 225401 225402 225403 225404 225405 225406 225408
160.00	75.00	262950 262951 262952 262953 262954 262957 265549 265550




Height (mm)	Width (mm)	Order Reference
110.00	50.00	225409 225410 225411 225412 225407 225413 225414 225415
160.00	75.00	262962 262964 262965 256564 265548 256565 256566 256567

SPC - OUR STANDARD OIL ONLY ROLLS FOR INDUSTRIAL OR MARINE USE.



- Absorbs oil & petroleum based liquids.
- Stronger, more durable product with a superior finish for more abrasion resistance - looks better and performs better!
- Ideal rolls to cover a large surface area for fast clean up of spills, leaks and drips.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
SPC150	813759	ROLL, 96 cm x 44 m, Heavyweight, bonded	1 Roll(s) / Bag	231
SPC150-P	138590	ROLL, 96 cm x 44 m, Heavyweight, perforated and bonded	1 Roll(s) / Bag	231
SPC152	813760	ROLL, 48 cm x 44 m, Heavyweight, bonded	2 Roll(s) / Bag	231
SPC152-P	138591	ROLL, 48 cm x 44 m, Heavyweight, perforated and bonded	2 Roll(s) / Bag	231

SPC - OUR STANDARD OIL ONLY PADS FOR INDUSTRIAL OR MARINE USE.




- Absorbs oil & petroleum based liquids.
- SPC pads are now up to 25% stronger! In addition, they now have a smoother, better looking finish with less lint and improved durability!
- Packed in boxes for easy handling and storage.
- Convenient and cost effective pads for clean up of oil on land or water.
- Choice of 3 options: Heavyweight for high absorbency, medium and lightweight for less demanding applications.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
SPC100-E	813736	PADS, 41 cm x 51 cm, Heavyweight, perforated & bonded	100 Pad(s) / Box	114
SPC200-E	813737	PADS, 41 cm x 51 cm, Lightweight, perforated & bonded	200 Pad(s) / Box	166
SPC300-E	813738	PADS, 41 cm x 51 cm, Medium weight, perforated & bonded	100 Pad(s) / Box	102
SPC200-3-E	813739	PADS, 30 cm x 30 cm, Lightweight, perforated & bonded	200 Pad(s) / Bag	71
SPC50-E	813740	PADS, 84 cm x 100 cm, Heavyweight, perforated & bonded	50 Pad(s) / Bag	230

HIGH VISIBILITY SAFETY & CHEMICALMAT

- Sign and absorbent all in one.
- High visibility, safety mat for all purpose fluid pick-up and hazardous chemical.
- Colour-coded yellow for safety and easy separation of hazardous waste
- 3-ply construction (Spunbound, Meltblown and Meltblown coverstock)
- Product will not react with aggressive fluids




Order Reference	Article No.	Description	Perforated	Total Qty/Pack	Absorption Capacity (Ltrs)
Pad					
CH100	107688	High visibility safety mat, 38 cm x 48 cm		100 Pad(s) / Box	110
CH200	134818	High visibility safety mat, 38 cm x 48 cm		200 Pad(s) / Box	144
Roll					
CH15P	107690	Safety mat, 38 cm x 46 m, medium weight, perforated & bonded	Every 46 cm	1 Roll(s) / Bag	73
CH30DP	107691	Safety mat, 76 cm x 46 m, medium weight, double perforated & bonded	Every 38 cm and up centre of roll	1 Roll(s) / Bag	147
CH303	134360	High visibility safety mat, 76 cm x 92 m, medium weight, double perforated & bonded	Every 38 cm and up centre of roll	1 Roll(s) / Bag	243



GP - ECONOMICAL MAINTENANCE ROLLS FOR APPLICATIONS THAT REQUIRE HIGH ABSORBENCY AND LOW COST.

- Absorbs a variety of industrial liquids including oils, water, solvents, coolants, etc.
- GP rolls have a superior finish with less lint for improved abrasion resistance compared to traditional single ply rolls.
- Ideal roll to cover a larger surface area for a fast clean up of leaks and spills where low cost and high adsorbency are required.




Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
GP150-E	813826	ROLL, 96 cm x 44 m, Medium weight, bonded	1 Roll(s) / Bag	192
GP150-P-E	813827	ROLL, 96 cm x 44 m, Medium weight, perforated & bonded	1 Roll(s) / Bag	192
GP152-P-E	813828	ROLL, 48 cm x 44 m, Medium weight, perforated & bonded	2 Roll(s) / Bag	192

GP - ECONOMICAL GENERAL PURPOSE MAINTENANCE PADS MADE WITH SPC'S MAXX TECHNOLOGY!

A PERFECT COMBINATION OF STRENGTH AND ABSORBENCY!

- Absorbs a variety of industrial liquids including oils, water, solvents, coolants, etc.
- Highly absorbent, GP MAXX pads adsorb up to 18 times their weight !
- Thanks to the high absorbency of our MAXX technology, less material is needed to absorb more liquid and so you pay less for disposal!
- GP MAXX pads have a smooth surface finish with less lint than traditional single ply pads – looks better and performs better!
- Packed in boxes for easy handling and storage.
- Ideal for industrial applications where low cost and high absorbency are required.




Use pro-actively to catch leaks and drips.

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
GP100-M	813812	MAXX PADS, 41 cm x 51 cm, Medium weight, perforated & bonded	100 Pad(s) / Box	95
GP200-M	813813	MAXX PADS, 41 cm x 51 cm, Lightweight, perforated & bonded	200 Pad(s) / Box	166

BSM - NON-SLIP & IMPERMEABLE MATS PERFECT FOR HIGH TRAFFIC AREAS AND WALKWAYS THAT NEED TO BE DRY, CLEAN AND SLIP-FREE.

- Non-slip, impermeable barrier film sticks the mat to the floor and prevents liquids from leaking through. For best results, clean the floor before use.
- Backing resists curling and buckling.
- Needle-punched polypropylene fibres make product tear resistant, ideal for use in high traffic areas.
- Absorbs oil, water and non-aggressive chemicals.
- Prevents unsightly tracking between areas.



BSM creates a dry and slip free workplace.

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
BSM3650	813838	MAT, 91 cm x 15.25 m, Medium weight, barrier backing	1 Roll(s) / Bag	46
BSM100	813839	MAT, 91 cm x 30.48 m, Medium weight, barrier backing	1 Roll(s) / Bag	92

POLYURETHANE SLIK STOPPER - A HEAVY DUTY DRAIN SEAL THAT SEALS OFF DRAINS AND KEEPS SPILLS OUT!



- Yellow colour for high visibility
- Chemical resistant: flexible polyurethane resists water, oil and many chemicals.
- Re-usable after cleaning with soap and water.
- Works best on smooth surfaces.

Order Reference	Article No.	Description	Quantity
PU50	196468	SLIKSTOPPER, PU, 50 cm x 50 cm	1
PU60	196469	SLIKSTOPPER, PU, 60 cm x 60 cm	1
PU90	196470	SLIKSTOPPER, PU, 90 cm x 90 cm	1
PU110	196471	SLIKSTOPPER, PU, 110 cm x 110 cm	1

SPILL PALLETS - IDEAL PLATFORMS FOR INDOOR STORAGE OF 110 AND 200 LITRE DRUM SOROTHER CONTAINERS.

Whether you are looking to comply with governmental secondary containment regulations or just want the security of knowing your facility is protected, SPC spill pallets offer ample capacity (even if an entire drum empties into the unit). Available in both a 2-drum and 4-drum configuration, the spill pallets offer up to 510 litres of containment. These pallets are for use with drums only and not suitable for heavy traffic and IBC.



Order Reference	Article No.	Description	Quantity	Sump Capacity (Ltr)	Dynamic Load Capacity (Kg)
SC-DP2	813968	SPILL PALLET, 2 drums, 132 (L) x 66 (W) x 43 (H) cm, 260 litres	1	260	500
SC-DP4	813969	SPILL PALLET, 4 drums, 132 (L) x 132 (W) x 43 (H) cm, 510 litres	1	510	1000
SC-DPR	813970	RAMP, 180 (L) x 76 (W) x 55 (H) cm	1	–	295
SC-DK	813967	SUMP DRAIN KIT - to share capacity across multiple decks	1	–	–

- Both 2-drum and 4-drum spill pallets are the same height allowing easy transfer of drums from one pallet to the other.



- Optional ramp works with both the 2-drum and 4-drum spill pallets.



- These pallets have been engineered to make sure you can easily use your forklift or pallet jack to re-locate your pallets.



- Grates can be interchanged between the pallets and offer large openings to easily remove spills.



- Nestable pallets allow you to make better use of plant, warehouse or trailer space.





DJR129 Steel Spill Centre
H 1500.00 mm x W 560.00 mm x D 680.00 mm

SORBENT DISPENSERS: EASY ACCESS FOR EFFICIENCY

Make your sorbents easily accessible and keep your work environment clean to improve efficiency.

- Various sizes, adjustable to your rolls and applications
- Lightweight mobile dispensers: easily placed where they are needed
- Compact, space saving design
- Easy to install = saves time

Order Reference	Bestellnummer	Description	Quantity	Colour
DJR129	196208	Spill Centre (Empty)	1	Yellow
DJR126	830952	Static roll dispenser 50 cm wide	1	Silver
DJR127	830953	Wall mounted roll dispenser 50 cm wide	1	Yellow
DJR128	830954	Vertical roll dispenser 1m wide roll	1	Yellow

Sorbents to be ordered separately.



DJR128 Vertical roll dispenser 1m wide roll



DJR126 Static roll dispenser 50 cm wide



* Perforated

DJR127 Wall mounted roll dispenser 50 cm wide

ADR SPILL KITS - AN ECONOMICAL WAY TO KEEP YOU IN COMPLIANCE.

- Economical - The best value for your money.
- High absorbency at a low cost.
- Compact: Easy to put in smaller storage areas, behind or under the seat of a truck.
- Durable see-through bag makes it easy to check the spill response supplies.
- Quick & easy access to the sorbents ensuring a fast response thanks to the zipper which opens up the entire front of the bag.
- Easy to carry with handy shoulder strap.
- Hassle free: Complete with gloves, disposal bags and sorbents - everything you need!



Small kit contains: 25 pads (41 cm x 51 cm) , 4 socs (Ø 7.6 cm x 122 cm), 1 pair of gloves, instruction sheet and 1 disposal bag.
Large kit contains: 35 pads (41 cm x 51 cm) , 1 soc (Ø 7.6 cm x 122 cm), 1 soc (Ø 7.6 cm x 244 cm), 1 pillow (43 cm x 48 cm), 4 pillows (23 cm x 23 cm), 1 pair of gloves, instruction sheet and 2 disposal bags.

Order Reference	Article No.	Description	Absorption Capacity (Ltrs)
SKO-ADR-S	813862	Small ADR Spill Kit, Oil Only, 43 litres	43
SKA-ADR-S	813863	Small ADR Spill Kit, Maintenance, 43 litres	43
SKH-ADR-S	813864	Small ADR Spill Kit, Chemical, 37 litres	37
SKO-ADR-L	813865	Large ADR Spill Kit, Oil Only, 63 litres	63
SKA-ADR-L	813866	Large ADR Spill Kit, Maintenance, 63 litres	63
SKH-ADR-L	813867	Large ADR Spill Kit, Chemical, 57 litres	57



MOBILE CONTAINER KIT

- For medium sized spills.
- Weather-resistant polyethylene container protects sorbents against dirt, moisture and damage.
- Hinged lid provides easy access to the products.
- Wheels allow excellent mobility indoors and outdoors.

Contents SKO-120, SKA-120 & SKH-120:

50 pads (41 cm x 51 cm), 12 socs (Ø 7.6 cm x 122 cm), 6 pillows (43 cm x 48 cm), 1 pair of gloves, 1 pair of goggles and 3 disposal bags.

Contents SKO-240, SKA-240 & SKH-240:

150 pads (41 cm x 51 cm), 6 socs (Ø 7.6 cm x 244 cm), 8 pillows (43 cm x 48 cm), 2 pair of gloves, 2 pair of goggles and 6 disposal bags.

Order Reference	Article No.	Description	Quantity	Absorption Capacity (Ltrs)
SKO-120	813881	MOBILE CONTAINER KIT, Oil Only	1 Kit	124
SKA-120	813882	MOBILE CONTAINER KIT, Maintenance	1 Kit	124
SKH-120	813883	MOBILE CONTAINER KIT, Chemical	1 Kit	128
SKO-240	813884	MOBILE CONTAINER KIT, Oil Only	1 Kit	250
SKA-240	813885	MOBILE CONTAINER KIT, Maintenance	1 Kit	250
SKH-240	813886	MOBILE CONTAINER KIT, Chemical	1 Kit	233



	BMP21-PLUS Label Printer	BMP41 Label Printer	BMP51 Label Printer																																				
Applications																																							
Electrical, voice- & datacomm. ID																																							
Wire & Cable Marking	✓	✓✓✓	✓✓✓✓																																				
Component Marking	✓✓	✓✓✓	✓✓✓✓																																				
General & Industrial ID																																							
Asset & Component Marking	✓	✓✓	✓✓																																				
Electronics ID																																							
Circuit Board Marking																																							
Component Marking																																							
Technical Specifications																																							
Max. Label Width (mm)	19.00	25.40	38.10																																				
Max. Print Width (mm)	16.00	24.40	36.00																																				
Min. Label Width (mm)	6.40	6.00	6.40																																				
Materials Supported	60+ standard parts: continuous tapes	100+ standard parts: continuous tapes, die cut labels	200+ standard parts: continuous tapes and die cut labels																																				
Label Colours	<table border="1"> <tr> <td>White</td><td>Yellow</td><td>Orange</td><td>Clear</td><td>Black</td><td>Blue</td> </tr> <tr> <td>Red</td><td>Grey</td><td>Brown</td><td>Clear</td><td>Green</td><td>Purple</td> </tr> </table>	White	Yellow	Orange	Clear	Black	Blue	Red	Grey	Brown	Clear	Green	Purple	<table border="1"> <tr> <td>White</td><td>Yellow</td><td>Orange</td><td>Clear</td><td>Black</td><td>Blue</td> </tr> <tr> <td>Red</td><td>White</td><td>Red</td><td>Green</td><td>Silver</td><td></td> </tr> </table>	White	Yellow	Orange	Clear	Black	Blue	Red	White	Red	Green	Silver		<table border="1"> <tr> <td>White</td><td>Yellow</td><td>Orange</td><td>Clear</td><td>Black</td><td>Blue</td> </tr> <tr> <td>Red</td><td>White</td><td>Red</td><td>Green</td><td>Green</td><td></td> </tr> </table>	White	Yellow	Orange	Clear	Black	Blue	Red	White	Red	Green	Green	
White	Yellow	Orange	Clear	Black	Blue																																		
Red	Grey	Brown	Clear	Green	Purple																																		
White	Yellow	Orange	Clear	Black	Blue																																		
Red	White	Red	Green	Silver																																			
White	Yellow	Orange	Clear	Black	Blue																																		
Red	White	Red	Green	Green																																			
Display	Monocolour LCD Screen	Monocolour LCD Screen	Monocolour LCD Screen																																				
Print Resolution (dpi)	203	300	300																																				
Text Sizes (pt)	6 - 40	4 - 72	4 - 102																																				
Built-in Symbols	215 symbols included	450 symbols included	450 symbols included																																				
Technical Specifications																																							
Serialisation	Simple & Single Advanced	Simple & Simultaneous & Single Advanced & Multiple Advanced	Simple & Simultaneous & Single Advanced & Multiple Advanced																																				
Keyboard Type	ABC	QWERTY	QWERTY																																				
Language Support	Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Hungarian, Italian, Norwegian (Bokmål), Polish, Portuguese, Romanian, Slovak, Slovenian, Spanish, Swedish, Turkish	Danish, Dutch, English, Finnish, French, German, Italian, Norwegian (Bokmål), Portuguese, Spanish, Swedish	Danish, Dutch, English, Finnish, French, German, Italian, Norwegian (Bokmål), Portuguese, Spanish, Swedish																																				
Power Supply	6 AA Batteries Rechargeable Battery AC Adaptor	AC Adaptor Rechargeable Battery Battery Charger	AC Adaptor 8 AA Batteries Rechargeable Battery																																				
Print Speed (mm/sec)	10	33.00	25.40																																				
Stand-alone Printing (Detached from PC)	Stand-alone	Stand-alone & Peripheral	Stand-alone & Peripheral																																				
Connectivity Options	–	USB	USB, Bluetooth. Optional: Ethernet, WiFi																																				
Cutter	Manual cut With label retention	Manual cut With label retention	Manual cut Between labels or at end of print job With label retention																																				
Internal Memory Capacity	12 files	48 MB - up to 25,000 labels	48 MB - up to 25,000 labels																																				
Bar Code Type	Code 39 and 128, Datamatrix and QR Code	Code 39 and 128, other via software	Code 39 and 128, other via software																																				
Software Compatibility	-	Brady Workstation, LabelMark, CodeSoft	Brady Workstation, LabelMark, CodeSoft																																				
Width x Height x Length (mm)	125 x 50 x 235	150 x 90 x 290	155 x 90 x 255																																				
Weight (kg)	0.75	1.30	1.20																																				
Includes	This printer ships in a hard case with a Li-ion Battery and a Power Cord	This printer ships in a hard case with a Nickel Battery Pack, MC1-1000-595-WT-BK cartridge, USB cable, AC adapter, power cord, Brady Workstation Suite, Product CD, Brady printer Drivers CD and Quick Start Guide	This printer ships in a hard case with a Rechargeable Lithium Ion Battery, USB Cable, AC adaptor + power cord, Brady Workstation Suite, Product CD, Brady Printer Drivers CD, Quick Start Guide, a Bluetooth network card and an MC1-1000-422 cartridge.																																				
Warranty	2 years	2 years	2 years																																				



	BMP61 Label Printer	BradyPrinter M611 Mobile Label Printer	BMP71 Label Printer																																																						
Applications																																																									
Electrical, voice- & datacomm. ID																																																									
Wire & Cable Marking	✓✓✓✓✓	✓✓✓✓✓	✓✓✓✓✓																																																						
Component Marking	✓✓✓✓✓	✓✓✓✓✓	✓✓✓✓✓																																																						
General & Industrial ID																																																									
Asset & Component Marking	✓✓✓	✓✓✓	✓✓✓✓																																																						
Electronics ID																																																									
Circuit Board Marking	✓✓✓✓✓	✓✓✓✓✓	✓✓✓✓✓																																																						
Component Marking	✓✓✓✓✓	✓✓✓✓✓	✓✓✓✓✓																																																						
Technical Specifications																																																									
Max. Label Width (mm)	50.80	50.80	50.80																																																						
Max. Print Width (mm)	48.76	48.76	45.97																																																						
Min. Label Width (mm)	6.40	6.40	6.40																																																						
Materials Supported	800+ standard parts: continuous tapes, die cut and bulk label rolls, custom made labels and tapes	800+ standard parts: continuous tapes, die cut and bulk label rolls, custom made labels and tapes	400+ standard parts: continuous tapes, die cut and bulk label rolls, custom made labels and tapes																																																						
Label Colours	<table border="1"> <tr> <td>White</td><td>Yellow</td><td>Orange</td><td>Clear</td><td>Black</td><td>Blue</td> </tr> <tr> <td>Red</td><td>Grey</td><td>Brown</td><td>Green</td><td>Purple</td><td>Amber</td> </tr> <tr> <td>White</td><td>Pink</td><td></td><td></td><td></td><td></td> </tr> </table>	White	Yellow	Orange	Clear	Black	Blue	Red	Grey	Brown	Green	Purple	Amber	White	Pink					<table border="1"> <tr> <td>White</td><td>Yellow</td><td>Orange</td><td>Clear</td><td>Black</td><td>Blue</td> </tr> <tr> <td>Red</td><td>Grey</td><td>Brown</td><td>Green</td><td>Purple</td><td>Amber</td> </tr> <tr> <td>White</td><td>Pink</td><td></td><td></td><td></td><td></td> </tr> </table>	White	Yellow	Orange	Clear	Black	Blue	Red	Grey	Brown	Green	Purple	Amber	White	Pink					<table border="1"> <tr> <td>White</td><td>Yellow</td><td>Orange</td><td>Clear</td><td>Black</td><td>Blue</td> </tr> <tr> <td>Red</td><td>Green</td><td>Silver</td><td>Beige</td><td>Gold</td><td>Ochre</td> </tr> <tr> <td>Brown</td><td>Magenta</td><td>Pink</td><td>Purple</td><td>Light blue</td><td>Sky blue</td> </tr> </table> <p>Custom made colours possible</p>	White	Yellow	Orange	Clear	Black	Blue	Red	Green	Silver	Beige	Gold	Ochre	Brown	Magenta	Pink	Purple	Light blue	Sky blue
White	Yellow	Orange	Clear	Black	Blue																																																				
Red	Grey	Brown	Green	Purple	Amber																																																				
White	Pink																																																								
White	Yellow	Orange	Clear	Black	Blue																																																				
Red	Grey	Brown	Green	Purple	Amber																																																				
White	Pink																																																								
White	Yellow	Orange	Clear	Black	Blue																																																				
Red	Green	Silver	Beige	Gold	Ochre																																																				
Brown	Magenta	Pink	Purple	Light blue	Sky blue																																																				
Display	Colour Touchscreen	Colour LCD Touchscreen	Colour LCD Screen																																																						
Print Resolution (dpi)	300	300	300																																																						
Text Sizes (pt)	4 - 174	Within the Brady Workstation Express Labels Mobile App	4 - 174																																																						
Built-in Symbols	450 symbols included	Within the Brady Workstation Express Labels Mobile App	500+ symbols included																																																						
Technical Specifications																																																									
Serialisation	Multiple & Linked	Within the Brady Workstation Express Labels Mobile App	Simple & Simultaneous & Single Advanced & Multiple Advanced																																																						
Keyboard Type	QWERTY, QWERTZ, AZERTY, CYRILLIC	None	QWERTY, QWERTZ, AZERTY, CYRILLIC																																																						
Language Support	Bulgarian, Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Hungarian, Italian, Norwegian (Bokmål), Polish, Portuguese, Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Turkish	Bulgarian, Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Hungarian, Italian, Norwegian (Bokmål), Polish, Portuguese, Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Turkish	Danish, Dutch, English, Finnish, French, Italian, Norwegian (Bokmål), Polish, Portuguese, Romanian, Spanish, Swedish																																																						
Power Supply	AC Adaptor Rechargeable Battery	AC Adaptor Rechargeable Battery	AC Adaptor Rechargeable Battery																																																						
Print Speed (mm/sec)	33.8	33.8	38.10																																																						
Stand-alone Printing (Detached from PC)	Stand-alone & Peripheral	Peripheral	Stand-alone & Peripheral																																																						
Connectivity Options	USB 2.0, USB Flash Drive, Optional WiFi (factory installed)	Bluetooth, USB, WiFi	USB																																																						
Cutter	Manual cut Between labels or at end of print job	Auto Cutter	Manual cut Between labels or at end of print job																																																						
Internal Memory Capacity	512 MB - up to 250,000 labels	–	200 MB - up to 100,000 labels																																																						
Bar Code Type	Code 39 and 128, other via software	Code 39 and 128, other via software	Code 39 and 128, other via software																																																						
Software Compatibility	Brady Workstation, Brady Mobile Apps, LabelMark	Brady Workstation Express Labels Mobile App	Brady Workstation, LabelMark, MarkWare																																																						
Width x Height x Length (mm)	107 x 106 x 328	113 x 115 x 279	241.30 x 116.80 x 332.70																																																						
Weight (kg)	1.50 kg	1.6	2.49																																																						
Includes	This printer ships in a hard case holding a USB cable, a quick start guide, a battery pack, an AC Adapter, a CD with driver, a product CD, a hand strap, a Brady Workstation Suite, a roll of PTL-19-423 and an M61-R6010 ribbon	This printer ships in a cardboard box holding a USB cable, a quick start guide, an AC powercord, a USB stick holding product info and Windows driver, a strap, a Brady Workstation Suite, a roll of PTL-97-488 and an M61-R4310 ribbon	This printer kit ships in a hard case with Rechargeable NiMH Battery, AC Adaptor, USB Communications Cable, TLS2200® / HandiMark Material Roll Adaptor, Quick Start Guide, Product CD (w/ Printer Driver, Tutorials, Full User's Guide), Cleaning Kit, a Brady Workstation Suite, M71C-2000-595-WT, M71-31-423 and M71-R6000																																																						
Warranty	2 years	2 years	2 years																																																						



BradyPrinter S3000
Label Printer

101.6mm PC-connect printer for SFID. Does not offer user stand-alone use and accessibility or networking capability, but does have smaller footprint than BradyPrinter S3100.



BradyPrinter i3300
Label Printer

101.6mm PC-connect-only printer for SFID, die-cut wire ID and product ID labels. Printer is networkable. Does not offer user stand-alone use but does have extra label types.



BradyPrinter S3100
Sign and Label Printer

101.6mm stand-alone and PC-connect printer for SFID with Wi-Fi connectivity. Stand-alone use is ideal for multi-user situations and lean 5S kaizen labeling "events". The ultimate in easy and accessible.



BBP®35
Sign and Label Printer

101.6mm stand-alone and PC-connect printer for SFID with multi-color printing and fast print speed. Stand-alone use is ideal for multi-user situations and lean 5S kaizen labeling "events". The ultimate in easy and accessible with multiple colors.

Printer Overview

12.7 - 101.6mm wide output 101.6mm/sec. print speed	12.7 - 101.6mm wide output 101.6mm/sec. print speed	12.7 - 101.6mm wide output 76.2mm/sec. print speed	12.7 - 101.6mm wide output 127mm/sec. print speed
PC-connect only	PC-connect only	Stand-alone and PC-connect printing	Stand-alone and PC-connect printing
Monocolor printing (1 print color on a label)	Monocolor printing (1 print color on a label)	Monocolor printing (1 print color on a label)	Monocolor and multi-color printing
20-second material changeovers Set-up: no calibration, no sensor adjust, no label waste (prints on first label)	20-second material changeovers Set-up: no calibration, no sensor adjust, no label waste (prints on first label)	20-second material changeovers Set-up: no calibration, no sensor adjust, no label waste Easy user interface – just walk up and print	20-second material changeovers Set-up: no calibration, no sensor adjust, no label waste Easy user interface – just walk up and print
300+ parts, 14 materials (for SFID), 14 parts, 14 materials (for product ID)	300+ parts, 14 materials (for SFID) 485 parts, 45 materials (for wire ID and product ID)	300+ parts, 14 materials (for SFID) 14 parts, 14 materials (for product ID)	300+ parts, 14 materials (for SFID) 14 parts, 14 materials (for product ID)
Software: Brady Workstation	Software: Brady Workstation	Software: Brady Workstation	Software: Brady Workstation
1-year warranty	1-year warranty	1-year warranty	1-year warranty

Compatible Label and Ink Supplies

B30 series (all)	B33 series, B30 series	B30 series (all)	B30 series (all)
B30 series ribbons (excluding multi-color panel ribbons)	B30 series ribbons (excluding multi-color panel ribbons)	B30 series ribbons (excluding multi-color panel ribbons)	B30 series ribbons (all)

Top Applications

Arc flash labels Cold-temperature labels Equipment marking Facility ID GHS and chemical labels Glow-in-the-dark labels Lean/5S magnetic labels Panel labels Pipe and valve marking Push button labels Reflective labels	Arc flash labels Equipment labels GHS labels Pipe markers Safety signs Warning labels Lean/5S labels Panel and enclosure ID Inside panel and automation ID Wire and cable ID Tags Barcode labels Miscellaneous die-cut labels Circuit board labels Product labels (OEM) Laboratory specimen labels	Arc flash labels Equipment labels GHS labels Pipe markers Safety signs Warning labels Lean/5S labels Panel and enclosure ID Tags Barcode labels	Arc flash labels (w/ red variables) Equipment labels GHS labels Pipe markers Safety signs (multi-color) Warning labels (multi-color) Lean/5S labels Panel and enclosure ID Tags Multi-color labels
---	---	--	--



BBP[®]37
Sign and Label
Printer

101.6mm stand-alone and PC-connect printer for SFID with multi-color printing, shape-cutting capabilities (BBP37 only) and fast print speed. Stand-alone use is ideal for multi-user situations and lean 5S kaizen labeling "events". The ultimate in easy and accessible with multiple colors, and letter- and shape-cutting options.



BBP[®]85
Label Printer

216mm stand-alone and PC-connect printer for SFID with multi-color printing. Particularly popular for any large labeling needs. Ideal for large signs, large GHS labels and large equipment placards. The ultimate in easy and accessible with multiple colors for larger output.



BradyJet J2000
Color Label
Printer

Full-color, high-resolution ink jet printer for creating photo-quality labels in a single pass, while reducing material waste and needed inventory of labeling supplies. Significantly smaller footprint than BradyJet J5000.



BradyJet J5000
Color Label
Printer

203mm PC-connect printer with high-resolution, high-speed color label printing. Ideal for creating full-color labels with images, logos, illustrations, barcodes and more. The ultimate in high-resolution printing in all colors.

Printer Overview

12.7 - 101.6mm wide output 127mm/sec. print speed	51 - 216mm wide output 50mm/sec. print speed	19 - 101.6mm wide output 63.5mm/sec. print speed	12 - 203mm wide output 152.4mm/sec. print speed
Stand-alone and PC-connect printing	Stand-alone and PC-connect printing	PC-connect only	PC-connect only
Monocolor and multi-color printing X-Y plotter cutter to cut out text and shapes (BBP37 only)	Monocolor and multi-color printing	Full-color printing	Full-color printing
20-second material changeovers Set-up: no calibration, no sensor adjust, no label waste Easy user interface - just walk up and print	40-second material changeovers Set-up: no calibration, no sensor adjust, no label waste Easy user interface - just walk up and print	20-second material changeovers and 10-second ink cartridge changeovers Set-up: self-fed materials	20-second material changeovers and 10-second ink cartridge changeovers Set-up: self-fed materials, no sensor adjustment
300+ parts, 14 materials (for SFID) 14 parts, 14 materials (for product ID cut-outs)	125 parts, 5 materials (for SFID)	15 parts, 3 materials (for SFID) 15 parts, 1 material (for lab ID)	18 parts, 2 materials
Software: Brady Workstation	Software: Brady Workstation	Software: Brady Workstation	Software: Brady Workstation
1-year warranty	1-year warranty	1-year warranty	1-year warranty

Compatible Label and Ink Supplies

B30 series (all)	B85 series and PowerMark supplies	J20 series (all)	J50 series (all)
B30 series ribbons (all)	B85 and Powermark ribbons	J20-CMY ink cartridge	J50 series ink cartridges (all)

Top Applications

<ul style="list-style-type: none"> Arc flash labels (w/ red variables) Equipment labels GHS labels Pipe markers (single or multiple-up) Safety signs (multi-color) Warning labels (multi-color) Lean/5S labels Panel and enclosure ID Tags Multi-color labels Cut-out text and shapes Circular or custom shaped labels Miscellaneous die-cut labels (cut out) Multiple-up cut-out labels Gauge labels Gradient ruler labels Product labels (cut out small batch) 	<ul style="list-style-type: none"> Larger output Equipment labels (larger) GHS labels (larger) Safety signs (larger) Multi-color labels (larger) 	<ul style="list-style-type: none"> GHS labels Pipe markers Warehouse marking Visual workplace labeling Lean/5S labels Lockout Tags General ID Industrial ID Laboratory ID 	<ul style="list-style-type: none"> Arc flash labels (w/ red variables) Pipe markers Equipment labels GHS labels Pipe markers Safety signs and warning labels (multi-color) Lean/5S labels Multi-color labels Lock labels (w/ photos) Asset management Department signage Finished goods
---	---	--	---

STAINLESS CABLE STEEL TAG

Extreme temperature and Harsh environment tags

When environments get so extreme that no label can fulfil your identification needs, Brady offers stainless steel cable tags, able to resist aggressive environments and temperatures of up to 920°C.

Stainless Steel Cable Tags are made out of stainless steel 316, in various widths and lengths. They can be laser engraved or engraved using a laser paste and a CO2 laser engraver, and they are also offered in preprinted (PR) versions.



Blank Stainless Steel tags



Order Reference	Article No.	Width (mm)	Height (mm)	Quantity/Package	Material
SS31605210		52mm	10mm	100	AISI 316 Stainless Steel
SS31605213		52mm	13mm	100	AISI 316 Stainless Steel
SS31607010	622592	70mm	10mm	100	AISI 316 Stainless Steel
SS31607013	622595	70mm	13mm	100	AISI 316 Stainless Steel
SS31609010	622591	90mm	10mm	100	AISI 316 Stainless Steel
SS31609013	622594	90mm	13mm	100	AISI 316 Stainless Steel
SS31611010	622590	110mm	10mm	100	AISI 316 Stainless Steel
SS31611013	622593	110mm	13mm	100	AISI 316 Stainless Steel

Thickness may vary from 0.2mm to 0.5mm

Pre-printed Stainless Cable Steel tags



Order Reference	Article No.	Width (mm)	Height (mm)	Quantity/Package	Material
SS31605210PR		52mm	10mm	1	AISI 316 Stainless Steel
SS31605213PR		52mm	13mm	1	AISI 316 Stainless Steel
SS31607010PR	622602	70mm	10mm	1	AISI 316 Stainless Steel
SS31607013PR	622605	70mm	13mm	1	AISI 316 Stainless Steel
SS31609010PR	622601	90mm	10mm	1	AISI 316 Stainless Steel
SS31609013PR	622604	90mm	13mm	1	AISI 316 Stainless Steel
SS31611010PR	622600	110mm	10mm	1	AISI 316 Stainless Steel
SS31611013PR	622603	110mm	13mm	1	AISI 316 Stainless Steel

Thickness may vary from 0.2mm to 0.5mm

Stainless Steel Cable Ties

Extreme temperature and Harsh Environment Cable Ties

Extremely durable cable ties, a match for virtually every aggressive environment, are offered with a 4.5-4.6 (ST), 7.9 (HD) or 10 mm (WD) width and various lengths. These cable ties, made from durable 304 or 316 stainless steel, provide a very long lasting and durable marker when coupled with a 316 Stainless Steel Cable Tag.

Application of 316 Stainless Steel Cable Tags and Ties becomes real simple with our securing tool, capable of both cinching and cutting ties. Spare teeth (MG) are available for this tool.



B-7304 Stainless steel cable ties (304 Stainless ST)

Order Reference	Article No.	Width (mm)	Length (mm)	Quantity/Package	Material
304-130ST	622561	4.5mm	127mm	100	AISI 304 Stainless Steel
304-200ST	622562	4.5mm	201mm	100	AISI 304 Stainless Steel
304-300ST	622563	4.5mm	266mm	100	AISI 304 Stainless Steel
304-370ST	622564	4.5mm	362mm	100	AISI 304 Stainless Steel
304-520ST	622565	4.5mm	521mm	100	AISI 304 Stainless Steel
304-840ST	622566	4.5mm	838mm	100	AISI 304 Stainless Steel
304-1200ST	622567	4.5mm	1194mm	100	AISI 304 Stainless Steel

Protective Sleeve for cable ties

Order Reference	Article No.	Width (mm)	Length (mtr)	Quantity/Package	Material
ACPC8P		8mm	50mtr	1	PVC
ACPC12P		12mm	50mtr	1	PVC



Tension Tools and replacement parts

Order Reference	Article No.	Description	Quantity/Package
JV4580	134084	Stainless cable tie tool heavy duty	1
JV4580MG	134085	Stainless tie tool teeth heavy duty	1

STAINLESS STEEL CABLE TIES CONTINUED

Extreme temperature and Harsh environment Cable Ties

B-7304 Stainless steel cable ties (304 Stainless HD)

Order Reference	Article No.	Width (mm)	Length (mm)	Quantity/Package	Material
304-200HD	622568	7.9mm	201mm	100	AISI 304 Stainless Steel
304-370HD	622569	7.9mm	362mm	100	AISI 304 Stainless Steel
304-520HD	622570	7.9mm	521mm	100	AISI 304 Stainless Steel
304-840HD	622571	7.9mm	838mm	50	AISI 304 Stainless Steel
304-1200HD	622572	7.9mm	1194mm	50	AISI 304 Stainless Steel



B-7304 Stainless steel cable ties (304 Stainless WD)

Order Reference	Article No.	Width (mm)	Length (mm)	Quantity/Package	Material
304-400WD	622573	10.0mm	400mm	100	AISI 304 Stainless Steel

B-7316 Stainless steel cable ties (316 Stainless ST)

Order Reference	Article No.	Width (mm)	Length (mm)	Quantity/Package	Material
316-130ST	622574	4.6mm	127mm	100	AISI 316 Stainless Steel
316-200ST	622575	4.6mm	201mm	100	AISI 316 Stainless Steel
316-300ST	622576	4.6mm	300mm	100	AISI 316 Stainless Steel
316-370ST	622577	4.6mm	370mm	100	AISI 316 Stainless Steel
316-520ST	622578	4.6mm	520mm	100	AISI 316 Stainless Steel



B-7316 Stainless steel cable ties (316 Stainless HD)

Order Reference	Article No.	Width (mm)	Length (mm)	Quantity/Package	Material
316-150HD	622579	7.9mm	150mm	100	AISI 316 Stainless Steel
316-200HD	622580	7.9mm	201mm	100	AISI 316 Stainless Steel
316-300HD	622581	7.9mm	300mm	100	AISI 316 Stainless Steel
316-370HD	622582	7.9mm	370mm	100	AISI 316 Stainless Steel
316-520HD	622583	7.9mm	520mm	100	AISI 316 Stainless Steel
316-840HD	622584	7.9mm	840mm	100	AISI 316 Stainless Steel

B-7316 Stainless steel Coated cable ties (Coated 316 Stainless ST)

Order Reference	Article No.	Width (mm)	Length (mm)	Quantity/Package	Material
316C-200ST	622585	4.6mm	201mm	100	AISI 316 Stainless Steel
316C-370ST	622586	4.6mm	370mm	100	AISI 316 Stainless Steel



DARTAG SLEEVES

Low cost halogene free sleeves used for cable marking. UV Stable and Self extinguishing according to VO-UL94

PTE Sleeves used with manual marking systems



Order Reference	Article No.	Height (mm)	Width (mm)	Quantity/Package	Material
DT05010PTE		10mm	50mm	100	PTE
DT05015PTE		15mm	50mm	100	PTE
DT06010PTE		10mm	60mm	100	PTE
DT07010PTE		10mm	70mm	100	PTE
DT07015PTE		15mm	70mm	100	PTE
DT10010PTE		10mm	100mm	100	PTE
DT10015PTE		15mm	100mm	100	PTE
DT15010PTE		10mm	150mm	100	PTE
DT20010PTE		10mm	200mm	100	PTE
DT20015PTE		15mm	200mm	100	PTE



Dartag Sleeves are used in conjunction with either Manual marking kits or B-7696 Printed on the BMP71 Printer.

See page 7 for selection on manual marking.


Visit www.BradySouthAfrica.com for more information on the BMP71 portable printer

MANUAL MARKING INSERTS

Various characters used in conjunction with Dartag sleeves

Alphabet inserts

Order Reference	Article No.	Description	Width (mm)	Length (mm)	Colour	Quantity/Package	Material
DTAABW	A	A	10mm	10mm	White	200	VOABS
DTBBBW	B	B	10mm	10mm	White	200	VOABS
DTCCBW	C	C	10mm	10mm	White	200	VOABS
DTDDBW	D	D	10mm	10mm	White	200	VOABS
DTEEBW	E	E	10mm	10mm	White	200	VOABS
DTFFBW	F	F	10mm	10mm	White	200	VOABS
DTGGBW	G	G	10mm	10mm	White	200	VOABS
DTHHBW	H	H	10mm	10mm	White	200	VOABS
DTIIBW	I	I	10mm	10mm	White	200	VOABS
DTJJBW	J	J	10mm	10mm	White	200	VOABS
DTKKBW	K	K	10mm	10mm	White	200	VOABS
DTLLBW	L	L	10mm	10mm	White	200	VOABS
DTMMBW	M	M	10mm	10mm	White	200	VOABS
DTNNBW	N	N	10mm	10mm	White	200	VOABS
DTOOBW	O	O	10mm	10mm	White	200	VOABS
DTPPBW	P	P	10mm	10mm	White	200	VOABS
DTQQBW	Q	Q	10mm	10mm	White	200	VOABS
DTRRBW	R	R	10mm	10mm	White	200	VOABS
DTSSBW	S	S	10mm	10mm	White	200	VOABS
DTTTBW	T	T	10mm	10mm	White	200	VOABS
DTUUBW	U	U	10mm	10mm	White	200	VOABS
DTVVBW	V	V	10mm	10mm	White	200	VOABS
DTWWBW	W	W	10mm	10mm	White	200	VOABS
DTXXBW	X	X	10mm	10mm	White	200	VOABS
DTYYBW	Y	Y	10mm	10mm	White	200	VOABS
DTZZBW	Z	Z	10mm	10mm	White	200	VOABS
DTAABY	A	A	10mm	10mm	Yellow	200	VOABS
DTBBBY	B	B	10mm	10mm	Yellow	200	VOABS
DTCCBY	C	C	10mm	10mm	Yellow	200	VOABS
DTDDBY	D	D	10mm	10mm	Yellow	200	VOABS
DTEEBY	E	E	10mm	10mm	Yellow	200	VOABS
DTFFBY	F	F	10mm	10mm	Yellow	200	VOABS
DTGGBY	G	G	10mm	10mm	Yellow	200	VOABS
DTHHBY	H	H	10mm	10mm	Yellow	200	VOABS
DTIIBY	I	I	10mm	10mm	Yellow	200	VOABS
DTJJBY	J	J	10mm	10mm	Yellow	200	VOABS
DTKKBY	K	K	10mm	10mm	Yellow	200	VOABS
DTLLBY	L	L	10mm	10mm	Yellow	200	VOABS
DTMMBY	M	M	10mm	10mm	Yellow	200	VOABS
DTNNBY	N	N	10mm	10mm	Yellow	200	VOABS
DTOOBY	O	O	10mm	10mm	Yellow	200	VOABS
DTPPBY	P	P	10mm	10mm	Yellow	200	VOABS
DTQQBY	Q	Q	10mm	10mm	Yellow	200	VOABS
DTRRBY	R	R	10mm	10mm	Yellow	200	VOABS
DTSSBY	S	S	10mm	10mm	Yellow	200	VOABS
DTTTBY	T	T	10mm	10mm	Yellow	200	VOABS
DTUUBY	U	U	10mm	10mm	Yellow	200	VOABS
DTVVBY	V	V	10mm	10mm	Yellow	200	VOABS
DTWWBY	W	W	10mm	10mm	Yellow	200	VOABS
DTXXBY	X	X	10mm	10mm	Yellow	200	VOABS
DTYYBY	Y	Y	10mm	10mm	Yellow	200	VOABS
DTZZBY	Z	Z	10mm	10mm	Yellow	200	VOABS



Dartag Manual Marking Kit

Order Reference	Article No.	Description	Colour	Quantity/Package	Material
DTKITW		Dartag Kit A To Z, 0 to 9, Symbols + / - & DT Sleeves 100mm x 10mm & 70mm x 10mm	White	200 each Letters, Numbers and Symbols 100 off 100mm x 10mm Sleeves 100 off 70mm x 10mm Sleeves 1 off Carry case	VOABS PTE
DTKITY		Dartag Kit A To Z, 0 to 9, Symbols + / - & DT Sleeves 100mm x 10mm & 70mm x 10mm	Yellow	200 each Letters, Numbers and Symbols 100 off 100mm x 10mm Sleeves 100 off 70mm x 10mm Sleeves 1 off Carry case	VOABS PTE



MANUAL MARKING INSERTS CONTINUED

Various characters used in conjunction with Dartag sleeves

Number inserts



Order Reference	Article No.	Description	Width (mm)	Length (mm)	Colour	Quantity/Package	Material
DT00BW		0	10mm	10mm	White	200	VOABS
DT01BW		1	10mm	10mm	White	200	VOABS
DT02BW		2	10mm	10mm	White	200	VOABS
DT03BW		3	10mm	10mm	White	200	VOABS
DT04BW		4	10mm	10mm	White	200	VOABS
DT05BW		5	10mm	10mm	White	200	VOABS
DT06BW		6	10mm	10mm	White	200	VOABS
DT07BW		7	10mm	10mm	White	200	VOABS
DT08BW		8	10mm	10mm	White	200	VOABS
DT09BW		9	10mm	10mm	White	200	VOABS
DT00BY		0	10mm	10mm	Yellow	200	VOABS
DT01BY		1	10mm	10mm	Yellow	200	VOABS
DT02BY		2	10mm	10mm	Yellow	200	VOABS
DT03BY		3	10mm	10mm	Yellow	200	VOABS
DT04BY		4	10mm	10mm	Yellow	200	VOABS
DT05BY		5	10mm	10mm	Yellow	200	VOABS
DT06BY		6	10mm	10mm	Yellow	200	VOABS
DT07BY		7	10mm	10mm	Yellow	200	VOABS
DT08BY		8	10mm	10mm	Yellow	200	VOABS
DT09BY		9	10mm	10mm	Yellow	200	VOABS

Special Characters



Order Reference	Article No.	Description	Width (mm)	Length (mm)	Colour	Quantity/Package	Material
DT++BW		+	10mm	10mm	White	200	VOABS
DT//BW		/	10mm	10mm	White	200	VOABS
DT--BW		-	10mm	10mm	White	200	VOABS
DT..BW		.	10mm	10mm	White	200	VOABS
DT++BY		+	10mm	10mm	Yellow	200	VOABS
DT//BY		/	10mm	10mm	Yellow	200	VOABS
DT--BY		-	10mm	10mm	Yellow	200	VOABS
DT..BY		.	10mm	10mm	Yellow	200	VOABS

RIGID CONTINUOUS INSERTS

Continuous rigid inserts used in conjunction with Dartag Sleeves as a portable alternative to manual markers



B-7696 Rigid Inserts

Order Reference	Article No.	Width (mm)	Length (mtr)	Colour	Quantity/Package	Material
	Y4296769	10mm	10mtr	White	1	Rigid vinyl tag
	Y4299158	10mm	10mtr	Yellow	1	Rigid vinyl tag

B-7696 70X10MM

B-7696 70X10MM

BMP71 Label Printer

Brady's high-end portable label printer. Beside cable and wire printing solution for the telecom/datacom and electrical markets, the BMP71 is also perfect for printing health and safety signs and labels for the process industries.

The BMP71 is a user friendly printer with a large full colour LCD display, an easy-to-use menu driven user interface, and a full keyboard layout making it quick and easy to create labels using text, symbols and coding. It can be used as stand-alone unit, as well as PC connected.

- Prints on labels and tapes up to 50.8 mm wide

Order Reference	Description
710599	BMP71 Label Printer - QWERTY EU



Watch the BMP71 video on Brady's YouTube™ channel.




CUSTOM LASER ENGRAVABLE PLASTICS

Custom plastic tags made to specification with variable data on

Size and Capabilities

Listing	Details
Size Capabilities	10mm x 10mm Min - 400mm x 300mm Max, 0.9mm thickness
Customization Capabilities	Holes & Slots, With or without adhesive
Material Specification	Film-stamped ABS
MOQ	1
Min character size	8pt
Max character size	999pt
Print Capabilities	Text, Pictograms
Colour	See Below



Custom Laser Engravable Stainless Steel

Custom stainless steel tags made to specification with variable data on

Size and Capabilities

Listing	Details
Size Capabilities	10mm x 10mm Min - 400mm x 300mm Max, 0.9mm thickness
Customization Capabilities	Holes & Slots, With or without adhesive
Material Specification	S316 or S304 Stainless Steel
MOQ	1
Min character size	8pt
Max character size	999pt
Print Capabilities	Text, Barcodes, Pictogram Logos



Custom Laser Engravable Anodized Aluminium

Custom Anodized aluminium tags made to specification with variable data on

Size and Capabilities

Listing	Details
Size Capabilities	10mm x 10mm Min - 400mm x 300mm Max, 1.0mm thickness
Customization Capabilities	Holes & Slots, With or without adhesive
Material Specification	Anodized Aluminium
MOQ	1
Min character size	8pt
Max character size	999pt
Print Capabilities	Text, Barcodes, Pictogram Logos



Superior durability

Spend less time replacing damaged or worn lines for a better looking, more efficient facility.

- Withstands forklift traffic without tearing or lifting
- Low profile design minimises tears and scratches from skids, pallet jacks, etc.
- Rugged polyester with ultra aggressive adhesive



High visibility

Get the same visibility of painted floor markings – and pay less.

- High gloss surface shines like new paint
- Low-profile minimises debris build-up along the edges that occurs with thicker (extruded) floor tapes
- Surface resists marks and smudges and cleans up like new
- Available in a variety of high impact colours



Painless Removal

Easily remove floor markings without damaging the floor or leaving adhesive residue.

- Does not chip and flake when being removed - comes off in one piece
- Clean removal without any unsightly adhesive residue or damage to the floor

Easy application

Quickly lay down smooth, straight lines – without the help of co-workers.

- Can be easily applied by one person working alone
- Stiff polyester with liner prevents tape stretching and reduces wrinkles and wavy uneven lines
- No special floor preparation required – just clean with common detergents
- For maximum performance, apply ToughStripe Floor Marking products to flat, non-coated concrete




Die-Cut shapes

Use different shapes, colours and sizes for more effective, durable floor markings.





- Dashes, dots, arrows, footprints, numbers, letters and corner marks (L,T and shapes)
- Longer lasting markings – Minimises the risk of damage and facilitates fast repair
- Selected dashes, dots and arrows are pre-spaced on transfer tape, making it incredibly easy to lay down straight evenly spaced lines



ToughStripe™ Floor Tape Adhesion Rates



Request a sample to try ToughStripe in your own environment, visit www.bradysouthafrica.com

	Solution	Key Features	Applications	
Good	Aisle Marking Tape B-726 Vinyl	More cost-effective solution for short application period	Temporary marking for 5S/LEAN areas, work cells that change and more	
Better	ToughStripe - Floor Marking Tape B-514 Polyester	Longer application period with more shape and customisability options	Visual workplaces in 5S/LEAN, walkways, aisle and medium traffic level areas	
Best	ToughStripe Max - Floor Marking Tape B-543 Vinyl	Highest durability	Higher forklift and industrial vehicle traffic	
Other	Paint Stripe - Floor Marking Stencils B-518/B-519 for different surface types	Paint stencil for longer, more permanent marking	Permanent work area designation	

ToughStripe Max floor marking tape

Article No.	Colour	Finish	Width A (mm)	Length B (m)
B-543: Vinyl				
149629	Yellow	Gloss	50.80	30.48
149636	Yellow	Gloss	76.20	30.48
149643	Yellow	Gloss	101.60	30.48
149633	White	Gloss	50.80	30.48
149640	White	Gloss	76.20	30.48
149647	White	Gloss	101.60	30.48
149634	Red	Gloss	50.80	30.48
149641	Red	Gloss	76.20	30.48
149648	Red	Gloss	101.60	30.48
149635	Orange	Gloss	50.80	30.48
149642	Orange	Gloss	76.20	30.48
149632	Green	Gloss	50.80	30.48
149639	Green	Gloss	76.20	30.48
149646	Green	Gloss	101.60	30.48
149631	Blue	Gloss	50.80	30.48
149638	Blue	Gloss	76.20	30.48
149645	Blue	Gloss	101.60	30.48
149630	Black & Yellow	Gloss	50.80	30.48
149637	Black & Yellow	Gloss	76.20	30.48
149644	Black & Yellow	Gloss	101.60	30.48





BRADY B-514 FLOOR MARKING POLYESTER

ToughStripe™ floor marking products are made with Brady's B-514 polyester. ToughStripe products are ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths.

- 0.2 mm thickness
- Service temperature range of -18°C to 54°C
- Application conditions: min. 5°C, dry floor
- Recommended for indoor use and dry environment
- Resistant to harsh chemicals
- Exceeds safety standards for clean, dry non-slip surfaces per OSHA 1910.22

Floor marking tape

Order Ref.	Width (mm)	Length (m)	Colour	
104340	76.20	30.48 m	Black	
104341	76.20	30.48 m	White	
104342	76.20	30.48 m	Yellow	
104343	76.20	30.48 m	Red	
104344	76.20	30.48 m	Blue	
104345	76.20	30.48 m	Green	
104346	76.20	30.48 m	Orange	
104347	76.20	30.48 m	Black & Yellow	
104348	76.20	30.48 m	Red & White	
104349	76.20	30.48 m	Black & White	
121914	76.20	30.48 m	Black on White	
121917	76.20	30.48 m	Red on White	
132431	76.20	30.48 m	Red on Yellow	
132434	76.20	30.48 m	Black on Orange	
132437	76.20	30.48 m	Green on White	
132440	76.20	30.48 m	Blue on Yellow	
134087	76.20	30.48 m	Purple	
134090	76.20	30.48 m	Brown	
134093	76.20	30.48 m	Grey	
104310	50.80	30.48 m	Black	
104311	50.80	30.48 m	White	
104312	50.80	30.48 m	Yellow	
104313	50.80	30.48 m	Red	
104314	50.80	30.48 m	Blue	
104315	50.80	30.48 m	Green	
104316	50.80	30.48 m	Orange	
104317	50.80	30.48 m	Black & Yellow	
104318	50.80	30.48 m	Red & White	
104319	50.80	30.48 m	Black & White	

Order Ref.	Width (mm)	Length (m)	Colour	
121913	50.80	30.48 m	Black on White	
121916	50.80	30.48 m	Red on White	
132430	50.80	30.48 m	Red on Yellow	
132433	50.80	30.48 m	Black on Orange	
132436	50.80	30.48 m	Green on White	
132439	50.80	30.48 m	Blue on Yellow	
134086	50.80	30.48 m	Purple	
134089	50.80	30.48 m	Brown	
134092	50.80	30.48 m	Grey	
104370	101.60	30.48 m	Black	
104371	101.60	30.48 m	White	
104372	101.60	30.48 m	Yellow	
104373	101.60	30.48 m	Red	
104374	101.60	30.48 m	Blue	
104375	101.60	30.48 m	Green	
104376	101.60	30.48 m	Orange	
104377	101.60	30.48 m	Black & Yellow	
104378	101.60	30.48 m	Red & White	
104379	101.60	30.48 m	Black & White	
121915	101.60	30.48 m	Black on White	
121918	101.60	30.48 m	Red on White	
132432	101.60	30.48 m	Red on Yellow	
132435	101.60	30.48 m	Black on Orange	
132438	101.60	30.48 m	Green on White	
132441	101.60	30.48 m	Blue on Yellow	
134088	101.60	30.48 m	Purple	
134091	101.60	30.48 m	Brown	
134094	101.60	30.48 m	Grey	

Caution ESD area floor marking tape



Order Ref.	Width (mm)	Length (m)	Colour	
121364	50.80	30.48	Black on Orange	
121365	76.20	30.48	Black on Orange	
121366	101.60	30.48	Black on Orange	
121367	50.80	30.00	Yellow	
121368	76.20	30.00	Yellow	
121369	101.60	30.00	Yellow	

Dots - 350 / roll



Order Ref.	Diameter (mm)	Colour	
104400	88.90	Red	
104401	88.90	Green	
104402	88.90	Blue	
104403	88.90	Yellow	
104404	88.90	Black	
104405	88.90	White	

Footprints - 10 / package (5 Right - 5 Left)




Order Ref.	Width (mm)	Height (mm)	Colour	
104406	88.90	254.00	Red	
104407	88.90	254.00	Green	
104408	88.90	254.00	Blue	
104409	88.90	254.00	Yellow	
104410	88.90	254.00	Black	
104411	88.90	254.00	White	

Arrows - 100 / package



Order Ref.	Width (mm)	Height (mm)	Colour
104412	50.80	127.00	Red
104413	50.80	127.00	Green
104414	50.80	127.00	Blue
104415	50.80	127.00	Yellow
104416	50.80	127.00	Black
104417	50.80	127.00	White
104418	76.20	203.20	Red
104419	76.20	203.20	Green
104420	76.20	203.20	Blue
104421	76.20	203.20	Yellow
104422	76.20	203.20	Black
104423	76.20	203.20	White
104424	101.60	254.00	Red
104425	101.60	254.00	Green
104426	101.60	254.00	Blue
104427	101.60	254.00	Yellow
104428	101.60	254.00	Black
104429	101.60	254.00	White

Centre Marks - “+” 20 / package



Order Ref.	Width (mm)	Height (mm)	Colour
104466	50.80	127.00	Red
104467	50.80	127.00	Green
104468	50.80	127.00	Blue
104469	50.80	127.00	Yellow
104470	50.80	127.00	Black
104471	50.80	127.00	White
104472	76.20	203.20	Red
104473	76.20	203.20	Green
104474	76.20	203.20	Blue
104475	76.20	203.20	Yellow
104476	76.20	203.20	Black
104477	76.20	203.20	White
104478	101.60	254.00	Red
104479	101.60	254.00	Green
104480	101.60	254.00	Blue
104481	101.60	254.00	Yellow
104482	101.60	254.00	Black
104483	101.60	254.00	White

Corner marks - “L” 20 / package



Order Ref.	Width (mm)	Height (mm)	Colour
104430	50.80	127.00	Red
104431	50.80	127.00	Green
104432	50.80	127.00	Blue
104433	50.80	127.00	Yellow
104434	50.80	127.00	Black
104435	50.80	127.00	White
104442	76.20	203.20	Red
104443	76.20	203.20	Green
104444	76.20	203.20	Blue
104445	76.20	203.20	Yellow
104446	76.20	203.20	Black
104447	76.20	203.20	White
104454	101.60	254.00	Red
104455	101.60	254.00	Green
104456	101.60	254.00	Blue
104457	101.60	254.00	Yellow
104458	101.60	254.00	Black
104459	101.60	254.00	White

Divider marks - “T” 20/ package



Order Ref.	Width (mm)	Height (mm)	Colour
104436	50.80	127.00	Red
104437	50.80	127.00	Green
104438	50.80	127.00	Blue
104439	50.80	127.00	Yellow
104440	50.80	127.00	Black
104441	50.80	127.00	White
104448	76.20	203.20	Red
104449	76.20	203.20	Green
104450	76.20	203.20	Blue
104451	76.20	203.20	Yellow
104452	76.20	203.20	Black
104453	76.20	203.20	White
104460	101.60	254.00	Red
104461	101.60	254.00	Green
104462	101.60	254.00	Blue
104463	101.60	254.00	Yellow
104464	101.60	254.00	Black
104465	101.60	254.00	White

PRE-PRINTED FLOOR SIGNS

ToughStripe floor signs communicate important safety and warning messages to your employees in areas with foot traffic

Order Ref.	Dia(mm)	Width (mm)	Height (mm)	Packaging	Colour	
104498	-	457.20	355.60	1	Black & Red on White	
104499	-	457.20	355.60	1	Black on Yellow	
104500	-	457.20	355.60	1	Black & Red on White	
104502	-	457.20	355.60	1	Black on Yellow	
104503	-	457.20	355.60	1	Black on Yellow	
104504	-	457.20	355.60	1	Black on Yellow	
104505	-	457.20	355.60	1	Black on Yellow	
104506	-	457.20	355.60	1	Black on Orange	
104510	-	457.20	355.60	1	Black on Yellow	
104501	431.80	-	-	1	Black on Yellow	
104507	431.80	-	-	1	Black & Green on White	
104508	431.80	-	-	1	Black & Blue on White	
104509	431.80	-	-	1	Black on White	
104511	431.80	-	-	1	Black & Red on White	
104512	431.80	-	-	1	Black on Yellow	
104513	431.80	-	-	1	Black on Yellow	

ToughStripe for use with the BMP71 Label Printer

Ideal for marking aisles, passageways and storage locations.

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlamine
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlamine


Order Ref.	Width (mm)	Length (m)	Colour
142140	25.40	15.24	White
142141	50.80	15.24	White
142142	25.40	15.24	Black
142143	50.80	15.24	Black
142144	25.40	15.24	Yellow
142145	50.80	15.24	Yellow
142146	25.40	15.24	Red
142147	50.80	15.24	Red
142148	25.40	15.24	Blue
142149	50.80	15.24	Blue
142150	25.40	15.24	Green
142151	50.80	15.24	Green
142152	25.40	15.24	Orange
142153	50.80	15.24	Orange



ToughStripe for use with the BBP35 and BBP37 label printers

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlamine
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlamine

Order Ref.	Width (mm)	Length (m)	Colour
139928	101.00	30.40	Orange
139929	57.00	30.40	Orange
139930	29.00	30.40	Orange
139931	101.00	30.40	Black
139932	57.00	30.40	Black
139933	29.00	30.40	Black
139934	101.00	30.40	Green
139935	57.00	30.40	Green
139936	29.00	30.40	Green
139937	101.00	30.40	Blue
139938	57.00	30.40	Blue
139939	29.00	30.40	Blue
139940	101.00	30.40	Red
139941	57.00	30.40	Red
139942	29.00	30.40	Red
139943	101.00	30.40	Yellow
139944	75.00	30.40	Yellow
139945	57.00	30.40	Yellow
139946	29.00	30.40	Yellow
139947	101.00	30.40	White
139948	75.00	30.40	White
139949	57.00	30.40	White
139950	29.00	30.40	White



B-518 FOR CLEAN, POLISHED FLOORS

Article No.	Description	Width (mm)	Length (m)
148820	PaintStripe Stencil - Continuous Line	50.80	30.50
148815	PaintStripe Stencil - Dashed Line	50.80	30.50
148808	PaintStripe Stencil - Continuous Line	50.80	152.40
148823	PaintStripe Stencil - Dashed Line	50.80	152.40
148814	PaintStripe Stencil - Continuous Line	76.20	30.50
148819	PaintStripe Stencil - Continuous Line	76.20	152.40
148806	PaintStripe Stencil - Continuous Line	101.60	30.50
148816	PaintStripe Stencil - Continuous Line	101.60	152.40

B-519 FOR DULL, WORN SURFACES AND ROUGH OR TEXTURED FLOOR APPLICATIONS

Article No.	Description	Width (mm)	Length (m)
148813	PaintStripe Stencil - Continuous Line	50.80	30.50
148812	PaintStripe Stencil - Dashed Line	50.80	30.50
148822	PaintStripe Stencil - Continuous Line	50.80	152.40
148818	PaintStripe Stencil - Dashed Line	50.80	152.40
148809	PaintStripe Stencil - Continuous Line	76.20	30.50
148821	PaintStripe Stencil - Continuous Line	76.20	152.40
148810	PaintStripe Stencil - Continuous Line	101.60	30.50
148807	PaintStripe Stencil - Continuous Line	101.60	152.40

Brady recommends that users should perform a test of the stencil/paint combination on the actual floor surface when planning floor-painting projects. Brady offers no-charge sample rolls of B-518 and B-519 stencils for this purpose.



Brady offers a wide range of photoluminescent products. These indicate danger zones, even in complete darkness. In case of an emergency, these products will help your employees to find their way out of a dark room.

PSPA Material Classification		
Minimum Luminance		
Class	After 10 minutes	After 60 minutes
A	25 mcd/m ²	3 mcd/m ²
B	50 mcd/m ²	7 mcd/m ²
C	140 mcd/m ²	20 mcd/m ²
D	260 mcd/m ²	35 mcd/m ²

mcd = Millicandela



GLOW-IN-THE-DARK WARNING TAPES


- Material: Self-adhesive photoluminescent polyester

Article No.	Width (mm)	Length (m)	Class
224071	25.00	9.00	Class A
224072	50.00	9.00	Class A
836794	20.00	10.00	Class B
836795	40.00	10.00	Class B
836796	50.00	10.00	Class B
836797	80.00	10.00	Class B
836798	50.00	10.00	Class C
836802	50.00	1.00	Class B
836803	50.00	1.00	Class C


ROLL-MOUNTED ANTI-SKID TAPE

Anti-Skid tape helps to prevent slipping and falling on wet or slippery floors. The rugged polyester tape is adhesive backed and coated with thousands of particles of durable aluminium oxide grit.

- Bonds permanently to clean, dry floors
- Works indoors or outdoors
- Withstands grease and oil
- Eliminates masking clean-up and drying time



Article No.	Colour	Length (m)	Packaging
Tape width: 25.00 mm			
078189	Black	18.00	1
Tape width: 50.00 mm			
078190	Black	18.00	1
078188	Clear	18.00	1
078182	Green	18.00	1
078184	Orange	18.00	1
078198	Red	18.00	1
078187	White	18.00	1
078183	Yellow	18.00	1
Tape width: 100.00 mm			
078191	Black	18.00	1
078199	Red	18.00	1
078092	Yellow	18.00	1
Tape width: 150.00 mm			
078193	Black	18.00	1
Tape width: 300.00 mm			
078194	Black	18.00	1



Anti-skid Tape die-cut cleats

Installation is easy, just peel off the protective liner and press in place.

- Material: Adhesive backed plastic cleat

Article No.	Colour	Height (mm) x Width (mm)	Packaging
078177	Red	140.00 x 140.00	50
078196	Black	140.00 x 140.00	50
078192	Black	19.00 x 600.00	50
078195	Black	150.00 x 600.00	50



Anti-skid tape/hazard marking die-cut cleats

The Anti-skid tape provides traction on slick floors, while the printed message signals a visual warning.

Article No.	Height (mm) x Width (mm)	Legend	Packaging
078160	152.40 x 609.60	Caution	24
078163	152.40 x 609.60	Watch your step	24

Striped anti-skid tape

This bright yellow and black striped Anti-skid Tape aids visibility.



- Material: Adhesive backed plastic tape, oxide grit coated
- Colour: Black & Yellow

Article No.	Width (mm)	Length (m)	Packaging
078146	25.00	18.00	1
078147	50.00	18.00	1
078148	75.00	18.00	1
078149	100.00	18.00	1
078150	150.00	18.00	1



LAMINATED POLYESTER (B-7541)

Flexible self-adhesive material, printed on white polyester and protected by clear polyester lamination. The permanent, acrylic-based, pressure-sensitive adhesive provides excellent adhesion to surfaces with low surface energy, such as polypropylene and ABS, as well as most powder coatings.

Advantages

- Easily placed on various interior and exterior surfaces
- Multiple applications due to its UV and scratch-resistant laminated surface that withstands numerous chemical products, solvents and extreme temperatures
- Fast, easy application
- Recommended for small formats

Variations

- Numerous standard formats, customisation available
- Available by unit, by sheet or on rolls, for larger amounts
- Standard or photoluminescent (class B and class C, materials B-7568 and B-7582)
- Available with grit-coating for floor marking (material B-7538)



POLY PROPYLENE (B-7527)

Rigid, non-adhesive material with protective film (polyester lamination)

Advantages

- Can be fixed to any surface using screws, nails or double-sided adhesive tape
- Multiple applications due to its UV and scratch-resistant laminated surface that withstands numerous chemical products, solvents and extreme temperatures
- Ideal for uneven surfaces or as a signboard

Variations

- Numerous standard formats, customisation available
- Available as standard or photoluminescent (class B and class C, materials B-7568 and B-7582)
- Non-laminated versions available for rounded corners and perforations
- Available as adhesive version (B-7583)



ALUMINIUM (B-7525)

Rigid and durable, non-adhesive material with polyester laminate.

Advantages

- Excellent weather resistance
- Can be fixed to any surface using screws or double-sided adhesive tape

Variations

- Customisation possible
- Available in standard and photoluminescent (class C, material B-7590) versions
- Non-laminated versions available on request for rounded corners and perforations



PHOTOLUMINESCENT MATERIALS

Photoluminescent materials are divided into classes, depending on their brightness after 10 minutes (time to evacuate) and 60 minutes (e.g. firemen or electricians working) in the dark. Please note that many countries have set guidelines or norms regulating minimal luminance for photoluminescent safety signage.

NITE-GLO XTRA-GLO

- Nite Glo indicates a class B glow-in-the-dark product, under the DIN 65710 standard
- Xtra Glo indicates a class C glow-in-the-dark product, under the DIN 65710 standard, which means these products will be visible for longer than a class B product with the same initial charge.
- Currently, as a minimum, class B quality is required for marine standards to demand a less significant investment. Class C remains, however, the solution that allows for additional security.



POLY VINYLCHLORIDE (PVC, B-455)

Plastic used for bi-directional signboards, non-adhesive

Advantages

- Allows a signboard to be visible from several directions and from further away
- Fastened using screws or double-sided adhesive tape
- Recommended for overhead applications (above 1.80 m)

Variations

- Numerous formats, customisation available
- Panoramic (3D) and flag (2D) shapes



MAGNETIC (B-859)

For application on metal objects such as machinery.

- Magnetic marking can be used to avoid other types of fastenings (adhesive, screws, etc.).
- It can also be used for temporary signage (out of order), short-term signage (production in progress, production stopped) or mobile signage (product part number to be recommended for stock)
- Magnetic material is also used extensively as part of continuous improvement (Lean, 5S, etc.)



OTHER MATERIALS

On request.

- Fibreglass: To withstand extreme conditions for more than 15 years.
- Window sticker: To stick on the inside of a window or transparent material visible from the outside (e.g. shop door)
- Foam-backed materials: For a rigid surface without restriction of its weight (e.g. construction site safety instructions)
- ToughWash (B-862 / B-863)

Brady Material No.	Material	Temp (°C) (Tested for 30 days)		Max Size	Minimum Size	Thickness (mm)
		Min.	Max.			
B-7541	Laminated Polyester	-40 °C	110 °C	1250 x 1000	100 x 100	0.10 mm
B-7538	Anti-skid Laminated Polyester	-40 °C	110 °C	1250 x 1000	100 x 100	0.25 mm
B-7527	Polypropylene	-40 °C	120 °C	1100 x 700	60 x 40	1.50 mm
B-7525	Aluminium	-40 °C	140 °C	700 x 700	100 x 100	1.02 mm
B-455	Polyvinylchloride	-20 °C	70 °C	1100 x 700	40 x 30	1.59 mm
B-859	Magnetic Plastic	-40 °C	66 °C	960 x 560	60 x 40	-
B-7568	Class B Photoluminescent Polyester	-40 °C	66 °C	1250 x 750	100 x 100	0.28 mm
B-7582	Class C Photoluminescent Polyester	-40 °C	66 °C	1250 x 750	100 x 100	0.28 mm
B-7570	Class B Photoluminescent Polypropylene	-40 °C	66 °C	1250 x 750	100 x 100	1.78 mm
B-7584	Class C Photoluminescent Polypropylene	-40 °C	66 °C	1250 x 750	100 x 100	1.78 mm
B-7583	Class C Photoluminescent Self-adhesive Polypropylene	-40 °C	66 °C	1250 x 750	100 x 100	1.80 mm
B-7586	Vinyl	-40 °C	60 °C	1400 x 900	200 x 200	0.06 mm
B-7588	Class C Photoluminescent Polyvinylchloride	-40 °C	66 °C	1400 x 900	200 x 200	1.78 mm
B-7590	Aluminium overlaminated with Polyester	-40 °C	66 °C	1250 x 750	100 x 100	1.27 mm

ILLUSTRATIONS TO VIEW SOME OF THE PRODUCT PROPERTIES:

SIGNS




SIGNS ON ROLLS




GLOW-IN-THE-DARK SIGNS



PANORAMIC SIGNS (2D AND 3D)





Reading distance

Sign sizes depend on reading distance. The diagram opposite allows you to ensure that dimensions of a pictogram meet European Directives as closely as possible.

Photoluminescent signs must be used where natural lighting is inadequate (especially to mark exits and emergency exits).

INSTALLATION GUIDE


Two types of situations and linked instructions are to be differentiated: daily work life, and emergency and fire situations.

In daily work life danger warnings will routinely be placed close to hazards. Prohibitions and requirements will generally be at an area or a workplace entrance. They can be repeated around machinery.

In case of fire or emergency, the symbols indicating control instruments such as escape routes or emergency tools must be highly visible, from near and far. In such case three levels are to be considered:

- The high level (above 1.80 m) is to be seen from far away or when there is an obstruction (stampede).
- The low level (less than 0.4 m from the floor or on the floor) is to be visible in case of fire or smoke.
- The intermediate level is to be visible from nearby and allows instructions or diagrams to be read.

For easy evacuation, it is essential to point out any obstacle, step, ramp etc. Glow-in-the-dark material is therefore the preferred material.



Why Pipe Marking?

Brady pipe markers enhance safety, save time and reduce costs.


Enhance safety. Unmarked pipes and valves can cause danger to life and damage to equipment. Brady pipe markers will help ensure that you, your staff and your premises remain safe.

Reduce costs. By correctly identifying pipes, errors can be prevented. Accidents caused by negligence lead to both physical and psychological grief and often cost companies large amounts of money.

Save time. Clear, concise identification with Brady pipe markers, made from high performance laminated polyester, will stay in place and remain readable, due to high resistance to chemicals, ultraviolet rays and extreme weather conditions, saving valuable time by reducing the need to continually re-identify your pipes.



The usage of pipe markers compliant to the SANS 10140 will increase your plant safety. Those pipe markers are a combination of colours. In addition, pipe content legend and arrows can be shown. The colours to follow are indicated in the table below. The layout of the pipe itself with legend and arrows are up to the customer choice/standard.



Pipe Content	Basic Colour	SANS Colour Reference	Example	Additional Colour	SANS Colour Reference	Example
Acids	Jacaranda	F18		Salmon Pink	A40	
Air	Artic blue	F28		Primrose	C67	
Gasses (other than air)	Light Stone	C37		Maroon	A01	
Oil	Golden brown	B13		Peacock blue	F08	
Refrigerants and air conditioning	White			Crimson	A03	
Steam	Aluminium/Silver			Light brunswick green	H07	
Water drinkable	Brilliant green	H10		Canary yellow	C61	
Drainage water (sewage)	Black			Light grey	G29	
Fire fighting water	Signal red	A11		Middle brown	B07	
Hydrocarbons	Aluminium/Silver			Poppy red	A14	
				Verdigris green	E22	
				Cornflower	F29	
				Biscuit	B64	
				Golden yellow	B49	
				Pinotage	A08	
				Middle buff	(B33)	
				Emerald green	(E14)	
				Lime green	(H41)	

Brady's pipe marking solutions

We will create any pipe marker you need, taking into account the norms and your personal specifications regarding text, colour, size, layout and material.



Minimum information needed to make YOUR pipe markers

Text

Specify the legend that needs to be printed

Colours

Pipes must be identified with the relevant colour. Every substance group has a specific colour, depending on the SANS 10140-3:2003 norms.

Materials

- Self adhesive polyester (B-7541P)

Sizes

Minimal standard size for 1 pipe marker: 150mm x 12mm

Maximum standard size for 1 pipe marker: 450mm x 52mm

Custom sizes from 10mm x 10mm to 1.3m x 1m



Each company can define their own particular pipe marker layout, here are some examples:



Layout

Pipe contents	Basic ID Colour	Second colour band	Single colour code	Second colour band	Basic ID Colour
Acids	Jacaranda		Jacaranda		Jacaranda

Air	Artic blue		Artic blue		Artic blue
Compressed air (General)	Artic blue		Artic blue		Artic blue
Instrument	Artic blue		Salmon Pink		Artic blue
Vacuum	Artic blue		Primrose		Artic blue

Gasses (other than air)	Light Stone		Light Stone		Light Stone
Acetylene	Light Stone		Maroon		Light Stone
Argon	Light Stone		Peacock Blue		Light Stone
Blast Furnace	Light Stone		Crimson		Light Stone
Carbon Dioxide	Light Stone		Light brunswick green		Light Stone
Chlorine	Light Stone		Canary yellow		Light Stone
Coke oven	Light Stone		Light grey		Light Stone
Helium	Light Stone		Middle brown		Light Stone
Hydrogen	Light Stone		Poppy red		Light Stone
Liquefied Petroleum Gas (LPG)	Light Stone		Light Stone		Light Stone
Methane	Light Stone	Poppy red	Black	Poppy red	Light Stone
Nitrogen	Light Stone	Black	Light grey	Black	Light Stone
Oxygen	Light Stone		White		Light Stone
Producer	Light Stone		Verdigris green		Light Stone

Oil	Golden brown		Golden brown		Golden brown
Hydraulic power	Golden brown		Salmon Pink		Golden brown
Lubricating oil	Golden brown		Verdigris green		Golden brown
Transformer oil	Golden brown		Crimson		Golden brown

Refrigerants and air conditioning	White		White		White
-----------------------------------	-------	--	-------	--	-------

Steam	Aluminium/Silver		Aluminium/Silver		Aluminium/Silver
-------	------------------	--	------------------	--	------------------

Water drinkable:	Brilliant green		Brilliant green		Brilliant green
Cold	Brilliant green		Comflower		Brilliant green
Hot	Brilliant green		Crimson		Brilliant green

Water non-drinkable:					
Deminerlized	Brilliant green		White		Brilliant green
Drainage water (sewage)	Black		Black		Black
Fire fighting water	Signal red		Signal red		Signal red
Fire fighting water (Foam line)	Signal red		Biscuit		Signal red
Biscuit (B64)	Brilliant green		Golden yellow		Brilliant green

Hydrocarbons:	Aluminium/Silver		Aluminium/Silver		Aluminium/Silver
Alcohol	Aluminium/Silver		Pinotage		Aluminium/Silver
Diesel	Aluminium/Silver		Middle buff		Aluminium/Silver
IP/IK	Aluminium/Silver		Comflower		Aluminium/Silver
Power paraffin (PP)	Aluminium/Silver	White	Emerald green	White	Aluminium/Silver
Mogas 93 ULP	Aluminium/Silver	Canary yellow	Lime green	Canary yellow	Aluminium/Silver
Mogas 93 ULP	Aluminium/Silver		Lime green		Aluminium/Silver

Brady Corporation

Our mission is to identify and protect people, products and places



COMPANY OVERVIEW

BRADY was founded in 1914 in Eau Claire, Wisconsin, as W.H. BRADY Co., and renamed BRADY Corporation in 1998. The company began selling products internationally in 1947. In 1984, BRADY went public, with stock trading on the Nasdaq Stock Market, and in 1999, moved trading of its stock to the New York Stock Exchange, where it trades under the symbol BRC. The company's global headquarters is in Milwaukee, Wisconsin.

BRADY MANUFACTURES AND MARKETS:

- products for identification and safety applications such as signs and markers, printing systems and software to produce identification products on-site and on demand
- products for wire identification, including labelling materials and tools for wire and cable marking in the electrical, datacom and telecommunication markets
- high-performance identification products, including labels and signs that remain legible and highly adhesive even in harsh environments
- products that identify people and enhance security by ensuring the right persons are in the right places at the right time

OPERATIONS – SOME FACTS:

- 6500 employees around the world
- Operations in 29 countries
- Distribution in more than 100 countries through more than 4,400 distributor partners



Africa

Randburg, South Africa
Tel.: +27 11 704 3295
Email: africa@bradycorp.com

Benelux

Zeleville, Belgium
Tel.: +32 (0) 52 45 78 11
Email: benelux@bradycorp.com

Central & Eastern Europe

Bratislava, Slovakia
Tel.: +421 2 3300 4800
Email: central_europe@bradycorp.com

Denmark

Odense
Tel.: +45 66 14 44 00
Email: denmark@bradycorp.com

France

Roncq
Tel.: +33 (0) 3 20 76 94 48
Email: france@bradycorp.com

Germany, Austria & Switzerland

Egelsbach, Germany
Tel.: +49 (0) 6103 7598 660
Email: germany@bradycorp.com

Hungary

Budaörs
Tel.: +36 23 500 275
Email: central_europe@bradycorp.com

Italy

Gorgonzola
Tel.: +39 02 26 00 00 22
Email: italy@bradycorp.com

Middle East FZE

Dubai, UAE
Tel.: +971 4881 2524
Email: me@bradycorp.com

Norway

Kjeller
Tel.: +47 70 13 40 00
Email: norway@bradycorp.com

Romania

Bucharest
Tel.: +40 21 202 3032
Email: central_europe@bradycorp.com

Russia

Moscow
Tel.: +7 495 269 47 87
Email: central_europe@bradycorp.com

Spain & Portugal

Madrid, Spain
Tel.: +34 900 902 993
Email: spain@bradycorp.com,
portugal@bradycorp.com

Sweden, Finland, Baltic states

Kista, Sweden
Tel.: +46 (0) 8 590 057 30
Email: sweden@bradyeurope.com

Turkey

Istanbul
Tel.: +90 212 264 02 20 / 264 02 21
Email: turkey@bradycorp.com

UK & Ireland

Banbury, UK
Tel.: +44 (0) 1295 228 288
Email: uk@bradycorp.com



To help minimise our impact on the environment, Brady limits its number of reprints. Updated versions are always available for download on www.bradyeurope.com.

Search for: EUR-M-033-EN-SA

© 2018 Brady Worldwide, Inc. All Rights Reserved.

www.BradySouthAfrica.com

Your distributor